

A young girl with voluminous, curly dark hair is smiling broadly at the camera. She is wearing a white t-shirt with a dark blue polka-dot pattern. She is leaning on a light-colored wooden table. The background is a blurred outdoor setting with green foliage. There are several light green decorative shapes: a large checkmark-like shape in the top left, a circle in the middle right, and two rounded rectangles in the bottom left.

**pennine**  
PLAYGROUNDS

In Partnership with

**vinci**  
**play**

# Materials and components

We believe that every detail matters, therefore, for the production of our equipment, we use the highest quality materials and components with certificates, and cooperate with world-renowned manufacturers. Only thanks to this we are able to obtain the final product, which is not only aesthetic and functional, but also safe and compliant with applicable standards.



## Wood

Laminated wood with a cross-section of 90 mm x 90 mm. Top-quality first-class wood: without knots, uniform colour, straight grain, ground, impregnated and varnished over a multi-stage production process. Protected from the top with durable plastic covers and from the bottom with hot-dip galvanised steel anchors, which secure the wood against direct contact with the ground, and thus prevent the development of rot, consequently extending its life span.



## Robinia wood

Acacia is the most durable wood found in Europe. The wood is characterized by natural, light colours. It does not require impregnation due to the content of many oils, which naturally protect the material very well against weather conditions, rotting processes and pests. Acacia is distinguished by exceptional hardness, resistance to moisture or contact with soil. We obtain this wood from European plantations that are FSC® certified and other controlled sources.



## Stainless steel

An AISI 304 or AISI 316 stainless steel construction used for the production of playground equipment, slides, tube slides, fasteners and chains. With a smooth surface, it is completely weather-resistant, thus ensuring its long life span.



## Steel components

A steel construction of components is made of profiles with various cross-sections. It is available in the following options:

- hot-dip galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate,
- as a steel construction: shot-blasted, iron-phosphated, powder galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate.



## HEXA platforms

Anti-slip and waterproof HPL or, optionally, waterproof anti-slip plywood. Cross-structured plywood coated with a hot-pressed phenolic film with a honeycomb surface imprint – it offers increased resistance to abrasion, mechanical damage and chemical agents. It is PFEC-certified.



## HDPE

HDPE is a high-density polyethylene. It represents a high-quality material which is resistant to atmospheric agents, i.e. it is waterproof, resistant to frost, UV radiation or moisture. We use three-layer plates (with a black core made of 100% recycled granulate) for the production of various panels, roofs and other playground components.



## HPL

HPL is a duroplastic laminate cured with polyurethane-acrylic resins, forming a highly resistant surface layer that protects against external factors. HPL sheets are resistant to chemical and biological factors, UV rays and fluctuating weather conditions. This laminate is used for the production of various types of panels, roofs and other playground components. It is PFEC-certified.




## Polycarbonate (PC)

An excellent alternative to glass, a very durable material with similar transparency, and at the same time twice as light and 200 times more resistant to impacts. Additionally, it is resistant to weather conditions, including UV rays and a wide range of temperatures. Used by us for the production of panels, covers and windows or spherical 3d windows (portholes).

## PP tunnels

Tunnels with a double wall resistant to deformations, made of PP (diameter of 500 or 600 mm). Resistant to wear and tear, acts of vandalism and external factors.



## Ropes

Galvanised steel ropes with a diameter of 16 mm, covered with polypropylene or nylon, connected with plastic, stainless steel or aluminium connectors, resistant to UV radiation, abrasion and rot.



## Climbing stones

Colourful climbing stones made of durable composite resin with mineral fillers; resistant to abrasion and UV radiation.



## Slides

Slides are made of AISI 304 stainless steel, resistant to acts of vandalism and external factors. Our offer also includes versions made of fiberglass. The side panels of a slide are made of HDPE or HPL sheets, which are resistant to weather conditions, including frost and UV radiation.



## Inox slides

Slides made of AISI 304 stainless steel, resistant to vandalism and external factors. Made with attention to every detail, with the highest quality welds, they are an elegant finish for products for playgrounds.



## Tube slides

Slides made of certified AISI 304 and AISI 316 stainless steel. Sheet thickness: 2.5 mm, diameter of the slide: 790 mm, sanded surface. The length of the slide exit depends on the length of the slide itself, the exit cap is made of a pipe with a diameter of 33.7 mm. Available variants: straight, curved or spiral (360 degrees). The tube slides meet the EN 1176 Standard.



## PE tubes

Made of colourful, impact-resistant and scratch-resistant polyethylene (PE) with inside diameter approx. 75cm. Tubes are available in various bright colours, shapes (straight, curved, spiral) and from different heights.



## Anchors

In wooden products we use hot-dip galvanised anchors protecting wood against direct contact with the ground. They prevent rot, thus extend the lifespan of wooden products and ensure many years of use.



## Chains

Certified AISI 304 and AISI 316 stainless steel chains.



## Protective plugs

Rubber or polypropylene protective plugs protect the main construction profiles against weather conditions and children from injuries.



## Bolts

AISI 304 and AISI 316 stainless steel or galvanised bolts are secured against external factors by durable polyamide caps. This makes our equipment resistant to wear and tear as well as to changing weather conditions.



## Movable elements

Elements from the Fitness series based on two groups: the Swiss articulation system – safe, durable and long-lasting, allowing fully guided movement, resistant to overload, weather conditions and vandalism, with a mechanical stop and a durable bearing system closed in the casing, thanks to which it does not require lubrication and maintenance. These parts ensure a long service life of devices with moving parts.





# Guarantee

The highest quality of our products is ensured by experienced specialists and high quality materials. That is why we can offer our customers a long-term guarantee of fault-free and fully safe use of our devices. We also provide post-warranty services. Orders for most spare parts are completed within 48 hours.

## Selected warranty periods:



### 30 year guarantee

Structural strength of steel and stainless steel components



### 15 year guarantee

Structural failure of steel and stainless steel, for dynamic equipment;  
structural elements made of Robinia wood



### 10 year guarantee

Structural failure of high density polyethylene and high pressure laminate components



### 5 year guarantee

Corrosion of stainless steel and hot-dip galvanized and powder coated components; against  
bark beetles and rot in case of wooden structural elements





# Recycled, a better way!



Caring for the future of children and future generations, the idea was born to replace our classic elements of play equipment construction with post-consumer recycled materials. As a result, we have created a group of Recycled products based in 100% on recyclable materials that lower carbon emission.

Towers, slides, ladders, sandboxes, educational panels, spring rockers, swings and complementary elements, such as benches and litter bins - all produced with the use of recyclable materials.





### Composite posts

Recycled posts made of an innovative material made of used clothing and foil. The characteristics include, among others that this material: does not corrode, is durable as steel, resistant to algae formation, does not absorb water and is resistant to UV radiation.



### Recycled HDPE panels

Roofs, side panels and moving elements manufactured from ocean waste – fishing ropes and nets. With high durability and resistance to weather conditions these panels allow to create a playground with almost 100% recycled elements, contributing to a healthier environment for future generations.



### Plywood platforms

Anti-slip and waterproof platforms and climbing walls made of plywood coated with a hot-pressed phenolic film with a honeycomb surface imprint – it offers increased resistance to abrasion, mechanical damage and chemical agents. It is PEFC-certified.




### HDPE with recycled core

A high-quality material resistant to atmospheric agents, i.e. it is waterproof, resistant to frost, UV radiation or moisture. We use three-layer plates (a black core is made of 100% recycled granulate) for the production of various panels, roofs and other playground components.



### Stainless steel bars

AISI304 or AISI316 stainless steel bars are used as handrails, fireman's poles, climbing frames, ladders. With a smooth surface, it is completely weather-resistant, thus ensuring its long life span.



### HPL elements

HPL panels are being used as supplement in various types of equipment, harmonising with recycled style of the series. This laminate is resistant to chemical and biological factors and weather conditions.





# wooden recycled

## Wooden now Recycled!

The WOODEN series released now in a new version. Instead of structures made of painted wood, we have included devices from the well-known and popular series in Recycled option.

Various educational and sensory panels, coupled with moving elements, will bring children lots of joy and draw a lot of interest.

The environmentally friendly Recycled equipment from this series stimulates the child's comprehensive physical development and also allows a large group of kids to play together at the same time. Thanks to this, child learns how to establish relationships with their fellows and how to work as part of a team.



RC1503



RC1401



RC1402



RC1403



RC1437



RC1407

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1503	●	342 cm	336 cm	247 cm	1 - 8	25	33,8 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	●	-
RC1401	●	97 cm	96 cm	139 cm	1 - 8	4	13,8 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●	-
RC1402	●	166 cm	99 cm	191 cm	1 - 8	6	15,6 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●	-
RC1403	●	204 cm	139 cm	170 cm	3 - 14	7	18,8 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●	-
RC1437	●	349 cm	173 cm	103 cm	1 - 8	15	27,3 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●	-
RC1407	●	260 cm	270 cm	280 cm	3 - 14	13	27,5 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●	-



RC1434



RC1436



RC1504



RC1505



RC1506



RC1502



RC1501

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1434	●	215 cm	145 cm	280 cm	1 - 8	7	19,5 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	-	-	●	●	-
RC1436	-	360 cm	315 cm	280 cm	1 - 8	14	30,4 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	-	-	●	●	-
RC1505	●	675 cm	580 cm	280 cm	1 - 8	58	62,1 m <sup>2</sup>	90 cm	90 cm	35, 40, 59, 90 cm	-	-	●	●	-
RC1504	●	440 cm	451 cm	367 cm	3 - 12	29	43,4 m <sup>2</sup>	180 cm	120, 150 cm	35, 120, 150, 180 cm	-	-	●	●	-
RC1506	●	825 cm	830 cm	280 cm	1 - 8	90	96,2 m <sup>2</sup>	90 cm	59, 90 cm	35, 40, 59, 90 cm	-	-	●	●	-
RC1501	-	218 cm	224 cm	277 cm	1 - 8	9	21,7 m <sup>2</sup>	90 cm	90 cm	40, 90 cm	-	-	●	●	-
RC1502	●	247 cm	213 cm	307 cm	1 - 8	11	22,9 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-	●	●	-



RC1405



RC1404



RC1406



RC1408



RC1409



RC1449



RC1438



RC1410





RC1411



RC1412



RC1413



RC1439



RC1450



RC1451



RC1452










RC1414



RC1415



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1414		395 cm	330 cm	260 cm	3 - 14	21	31,4 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-			-
RC1415		615 cm	395 cm	290 cm	3 - 14	34	47,7 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-			-



RC1433



RC1581



RC1418



RC1580



RC1550



RC1551



RC1552

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1433	●	300 cm	275 cm	250 cm	1 - 8	14	25,1 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	●	-
RC1581	●	1100 cm	525 cm	485 cm	3 - 14	52	74,6 m <sup>2</sup>	150 cm	90, 150 cm	35, 90, 120, 150 cm	-	-	●	●	-
RC1418	●	1575 cm	805 cm	490 cm	3 - 14	120	134,5 m <sup>2</sup>	180 cm	120, 150, 180* cm	120, 150, 180 cm	-	-	●	●	-
RC1580	●	1285 cm	740 cm	490 cm	3 - 14	82	98,3 m <sup>2</sup>	180 cm	120, 150, 180 cm	120, 150, 180 cm	-	-	●	●	-
RC1550	●	386 cm	336 cm	260 cm	3 - 12	28	33,3 m <sup>2</sup>	120 cm	90 cm	40, 90, 120 cm	-	-	●	●	-
RC1551	●	292 cm	220 cm	214 cm	1 - 8	12	25,3 m <sup>2</sup>	< 60 cm	59 cm	59 cm	-	-	●	●	-
RC1552	●	244 cm	100 cm	184 cm	1 - 8	10	19,9 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●	-



# solo • recycled

## Fun for youngsters!

The SOLO series is a paradise for preschoolers, which is ruled by sand, water, sound and movement.

Free fun develops natural creativity of the child, encourages to do experiments and triggers the desire to cooperate with other children.

The richness of colours, manual and sound elements, along with educational panels: all these elements comprehensively stimulate the senses and the intellectual development of a child.



RC0824



RC1455



RC1427



RC0800


RC1456



RC1416




RC1482




RC1457

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC0824	●	188 cm	141 cm	155 cm	1 - 8	13	17,6 m <sup>2</sup>	< 60 cm	-	-	-	●	-
RC1455	●	348 cm	171 cm	191 cm	1 - 12	23	28,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1427	●	167 cm	97 cm	114 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC0800	●	30 cm	30 cm	40 cm	1 - 12	1	8,7 m <sup>2</sup>	< 60 cm	-	-	-	●	-
RC1456	●	145 cm	62 cm	170 cm	1 - 12	5	13,7 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1416	-	415 cm	165 cm	140 cm	1 - 12	11	27,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1482	●	139 cm	139 cm	78 cm	1 - 12	8	17,3 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1457	-	380 cm	210 cm	35 cm	1 - 12	11	32,7 m <sup>2</sup>	< 60 cm	-	-	●	●	-



RC1458




RC1429



RC0801



RC0802

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC1458	-	258 cm	258 cm	28 cm	1 - 12	16	29,2 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1429	-	254 cm	221 cm	28 cm	1 - 12	9	21,8 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC0801	-	178 cm	178 cm	30 cm	1 - 12	11	20,9 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC0802	-	323 cm	287 cm	43 cm	1 - 12	18	29,1 m <sup>2</sup>	< 60 cm	-	-	●	●	-

LOW CO<sub>2</sub>  
EMISSION



RC0810



RC0813




RC0811



RC0812



RC0825

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC0810	-	168 cm	94 cm	166 cm	3 - 12	5	16,5 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0811	-	143 cm	92 cm	74 cm	3 - 12	4	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0812	-	130 cm	89 cm	96 cm	3 - 12	4	14,8 m <sup>2</sup>	90 cm	●	-	-	●	-
RC0813	-	143 cm	94 cm	166 cm	3 - 12	6	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0825	-	734 cm	94 cm	166 cm	3 - 12	20	38,6 m <sup>2</sup>	90 cm	●	-	-	●	-





RC1467

RC1468

RC1469

RC1470

RC1471

RC1472



RC1473

RC1474

RC1475

RC1476

RC1477

RC1478



RC1560


RC1561

RC1562

RC1563

RC1564

RC1565

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC1467	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1468	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1469	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1470	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1471	●	84 cm	12 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1472	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1473	●	84 cm	21 cm	130 cm	1 - 8	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1474	●	84 cm	21 cm	130 cm	1 - 8	2	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1475	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1476	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1477	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1478	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-	●
RC1560	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1561	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1562	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1563	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1564	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1565	●	84 cm	10 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-



RC0685




RC0817



RC0816

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC0685	-	84 cm	79 cm	123 cm	3 - 12	2	11,5 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0817	-	120 cm	50 cm	59 cm	3 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0816	-	94 cm	87 cm	< 60 cm	3 - 12	3	11,9 m <sup>2</sup>	< 60 cm	●	-	-	●	-



RC1440




RC1441

RC1442

RC1443

RC1444




RC1445

RC1446

RC1447

RC1448



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction			Panels variants	
												steel	wood	recycled	HDPE	HPL
RC1440	-	168 cm	84 cm	141 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	-	-	●	●	-
RC1441	-	203 cm	84 cm	171 cm	1 - 8	3	16,7 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	-	-	●	●	-
RC1442	-	239 cm	84 cm	201 cm	3 - 14	3	17,9 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	-	-	●	●	-
RC1443	-	285 cm	84 cm	231 cm	3 - 14	3	19,5 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	-	-	●	●	-
RC1444	-	321 cm	84 cm	261 cm	3 - 14	3	20,8 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	-	-	●	●	-
RC1445	-	358 cm	84 cm	291 cm	3 - 14	3	22,1 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	-	-	●	●	-
RC1446	-	515 cm	84 cm	380 cm	3 - 14	3	27,0 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	-	-	●	●	-
RC1447	-	635 cm	84 cm	480 cm	3 - 14	3	31,1 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	-	-	●	●	-
RC1448	-	755 cm	84 cm	581 cm	3 - 14	3	35,2 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	-	-	●	●	-



# climbo<sup>o</sup> recycled

## Climb, crawl and pull-up

The CLIMBOO series comprises equipment that develops the fitness and coordination of older children, increasing their faith in their own abilities.

Various climbing ladders and walls with a varying level of difficulty strengthen the muscles and teach the child to concentrate and maintain balance.

This series is the perfect place to organise competitive games where exciting physical challenges are coupled with maximum safety.



RC1463



RC1459



RC1461



RC1462



RC1460



RC0499



RC1419



0417-1

0421

1716

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants		
									steel	wood	recycled	HDPE / HPL	ropes	
RC1463	-	536 cm	316 cm	230 cm	7 - 16	52	60,4 m <sup>2</sup>	220 cm	150 cm	-	-	●	● / ●	●
RC1459	-	102 cm	84 cm	104 cm	1 - 12	1	13,5 m <sup>2</sup>	< 60 cm	-	-	-	●	● / ●	-
RC1461	-	535 cm	306 cm	140 cm	3 - 14	28	44,7 m <sup>2</sup>	< 60 cm	29, 59 cm	-	-	●	● / -	●
RC1462	-	240 cm	233 cm	230 cm	3 - 14	23	33,9 m <sup>2</sup>	220 cm	120 cm	-	-	●	● / ●	●
RC1460	-	232 cm	87 cm	110 cm	1 - 8	7	16,7 m <sup>2</sup>	99 cm	-	-	-	●	● / ●	●
RC0499	-	135 cm	185 cm	45 cm	3 - 14	4	19,2 m <sup>2</sup>	< 60 cm	-	-	-	●	● / -	●
RC1419	-	310 cm	306 cm	230 cm	3 - 14	11	31,2 m <sup>2</sup>	220 cm	-	-	-	●	● / ●	●



# spring recycled

## Rocking and swaying


The SPRING series equals pure energy on springs. It satisfies the child's natural need for unrestrained and carefree swinging.

Colourful vehicles and happy animals encourage kids to jump energetically and sway in the rhythm of body movements.

The spring riders, which are so beloved by children, allow for joyful fun which also carries great benefits for kids' development.



RC0607



0652

0611-1

0681




RC0622



RC0633



RC0630

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
RC0607	-	74 cm	43 cm	80 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	●	-
RC0622	-	79 cm	69 cm	84 cm	1 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-
RC0633	-	73 cm	43 cm	75 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	●	-
RC0630	●	110 cm	82 cm	82 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm	●	-





RC0627



RC0612



RC0619



RC0606




RC0608



RC0615



RC0609

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
RC0627	-	493 cm	431 cm	45 cm	3 - 14	27	45,4 m <sup>2</sup>	< 60 cm	●	-
RC0606	-	80 cm	43 cm	86 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm	●	-
RC0608	-	70 cm	45 cm	80 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	●	-
RC0612	-	104 cm	27 cm	46 cm	3 - 12	1	11,3 m <sup>2</sup>	< 60 cm	●	-
RC0619	●	100 cm	100 cm	45 cm	3 - 14	3	12,6 m <sup>2</sup>	< 60 cm	●	-
RC0615	-	62 cm	43 cm	79 cm	1 - 12	1	10,5 m <sup>2</sup>	< 60 cm	●	-
RC0609	-	80 cm	43 cm	74 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm	●	-



**LOW CO<sub>2</sub>  
EMISSION**




RC0660



RC0671



RC0670

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
RC0660	-	206 cm	181 cm	87 cm	1 - 12	6	18,8 m <sup>2</sup>	< 60 cm	●	-
RC0670	-	333 cm	28 cm	86 cm	1 - 12	4	18,8 m <sup>2</sup>	< 60 cm	●	-
RC0671	-	260 cm	116 cm	89 cm	3 - 12	8	16,0 m <sup>2</sup>	< 60 cm	●	-

# hoop recycled

## Spin, spin!


The HOOP series consists of roundabouts and spinners which drive the world of laughing children.

Spinning is an important activity for the child's development as it promotes the maturation of the nervous system, stimulates the sense of balance, strengthens the muscles and the skeletal system.



RC0712



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour variants	
									steel	wood	recycled	HDPE	HPL
RC0712	-	73 cm	73 cm	146 cm	3 - 12	2	17,6 m <sup>2</sup>	100 cm	●	-	-	●	-



# swing recycled

## Swinging in full swing!

The SWING series includes classic equipment beloved by younger and older children.

Colourful single swings, see-saw swings, multi-swings with bird's nest seats and weight-balanced multi-swings offer a pleasant thrill for children and encourage them to play with their friends.



ST1421

ST0528

ST0511



RC1425



RC0522


New!



RC1492

MODULAR SYSTEM



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour variants	
									steel	wood	recycled	HDPE	HPL
RC1425	-	270 cm	40 cm	115 cm	3 - 14	2	11,1 m <sup>2</sup>	99 cm	-	-	●	●	-
RC0522	-	240 cm	39 cm	81 cm	1 - 8	2	9,7 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC1492	-	195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	-	-	●	●	-



LOW CO<sub>2</sub>  
EMISSION



# -park-recycled

## Small park architecture

The PARK series is a necessary complement to a kid-friendly playground.

Comfortable benches and tables, colourful litter bins, information boards and fences – all these elements ensure comfortable relaxation for children, their parents and caregivers.

The modern and aesthetically pleasing design of street furniture harmoniously blends in with the playground equipment.



RC1483



RC1486



RC0934



RC0923




RC0924



RC1484




RC1485



0913

0920

0940



RC0921

Product code		Product length	Product width	Product height	Panels		Construction		
					HDPE	HPL	steel	wood	recycled
RC1483	-	50 cm	10 cm	170 cm	-	-	-	-	●
RC1486	-	280 cm	12 cm	76 cm	●	-	-	-	●
RC0934	-	36 cm	35 cm	100 cm	●	-	●	-	-
RC0923	-	159 cm	35 cm	36 cm	●	-	●	-	-
RC0924	-	159 cm	42 cm	78 cm	●	-	●	-	-
RC1484	-	120 cm	13 cm	76 cm	●	-	-	-	●
RC1485	-	170 cm	14 cm	76 cm	●	-	-	-	●
RC0921	-	261 cm	6 cm	116 cm	●	-	●	-	-



Characteristics of the RECYCLED series:



100% recycled HDPE



Composite construction or elements



HDPE with recycled core



HPL HEXA platforms



Stainless steel construction or elements



Galvanised steel construction or elements



Stainless steel slides



PE tube slides



Ropes with steel core



PP tunnels



Stainless steel chains



Durable steel spring



Spinning elements



Protective tops



Durable connectors







**Be closer  
to nature!**



# Robinia, naturally!

The ROBINIA series is an inexhaustible source of inspiration for play for younger and older children. The variety of educational and sensory panels, as well as moving elements, stimulate in children great interest and joy.

The environmentally friendly, wooden devices in the ROBINIA series stimulate the comprehensive physical development of a child and allow a large group of children to play at the same time. Thanks to this, the child learns to establish relationships with peers, and cooperate in a group.

Over 150 playground-equipment, sports, and small architecture products fit perfectly into both the natural landscape and modern architecture.



**Polycarbonate components**



**Produced from natural raw material**

**Movable and educational elements**

**Stainless steel elements**

**Durable HPL**



**Stainless steel slides**

**Climbers and ladders of varying difficulty**

**PAH - free rubber**



### Robinia wood

The acacia wood used in the production of the Robinia series contains many oils which protect the material very well against weather conditions, naturally preserving it against rotting processes and pests. By obtaining wood, we are sure that it comes from European plantations with FSC® certification and other controlled sources, thanks to which we care for the future in the spirit of sustainable development.



### Safety standards

In order to maintain the unique and irregular nature of the acacia wood, each product is individually prepared in accordance with the safety standards. In the Robinia series, we have developed unique technical solutions ensuring compliance with the EN 1176 safety standard. The products are certified by the international certifying institution TÜV SÜD and TÜV Rheinland. In addition, our production plants undergo periodic control audits by independent certification bodies.



### Safe finish

Thanks to the processing of wood by sanding, we smooth its surface, erasing any rough edges or unevenness, so we make the product not only aesthetic but also safe.



### Polycarbonate

Our devices are enriched with components made of transparent polycarbonate, which is an excellent alternative to glass. Twice lighter and at the same time two hundred times more resistant to impacts, this material is perfect as a functional and aesthetic detail in devices for playgrounds. Additionally, it is resistant to UV rays, weather conditions and temperatures in a wide range.



### Stainless steel

Gutters, troughs and bathtubs made of AISI 304 or AISI 316 stainless steel with a suitably smooth surface finish allow children to play in water and sand. With proper maintenance, stainless steel remains unaffected by weather conditions, which ensures its long service life.



### Anti-slip HPL plates

Anti-slip HPL plates are a perfect supplement used in various types of steps and small platforms. Thanks to their highest quality, they are resistant to chemical and biological factors, UV rays, and changing weather conditions. The safe anti-slip structure, subdued colours, and natural look, all perfectly harmonise with the wooden style of the series.



### Quick and easy installation

Before shipment, all products undergo preliminary assembly in our factory to prevent jams. We have developed a special connection system, consisting of appropriate undercutting, specialised fastening, and machining holes in key places. Thanks to the clear instructions and the individual marking of the components, it is possible to install quickly and easily, without specialist knowledge and tools.



### Packing and transportation

All elements are manufactured in such a way, that it is possible to transport both by road (by bus, or semi-trailer), or by sea or air. The appropriate packing of the elements optimises space and transport costs, and facilitates convenient unloading without the need for cranes or specialist equipment.



# Robinia



## Destination: nature!

The ROBINIA series consists of playground equipment made of natural raw material - Robinia acacia wood, the most durable wood found in Europe. This timber is characterized by natural, bright colours, has high weather resistance, does not require impregnation and can be anchored directly in the ground.

The unique Robinia series has been designed in a comprehensive way to enable creating of an offer containing all types of playground equipment: from tower sets with many climbing elements, through spring riders, carousels and swings, to small architecture.



RB1309

New!




RB1306



RB1308



RB1307

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1309	-	445 cm	365 cm	250 cm	3+	13	37,3 m <sup>2</sup>	< 60 cm
RB1306	-	195 cm	185 cm	265 cm	3+	3	19,2 m <sup>2</sup>	< 60 cm
RB1308	●	295 cm	225 cm	280 cm	3+	5	23,2 m <sup>2</sup>	90 cm
RB1307	-	370 cm	220 cm	250 cm	3+	7	27,3 m <sup>2</sup>	< 60 cm





RB1334



RB1301




RB1305



RB1302



RB1311

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1334	-	120 cm	120 cm	160 cm	1+	4	16,5 m <sup>2</sup>	< 60 cm
RB1301	-	295 cm	195 cm	200 cm	3+	5	21,5 m <sup>2</sup>	90 cm
RB1302	-	371 cm	326 cm	200 cm	3+	12	32,9 m <sup>2</sup>	165 cm
RB1305	-	605 cm	292 cm	250 cm	3+	6	35,6 m <sup>2</sup>	130 cm
RB1311	-	615 cm	375 cm	250 cm	3+	18	51,0 m <sup>2</sup>	200 cm



RB1313



RB1314




RB1315

**New!**



RB 1316

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1313	-	460 cm	405 cm	340 cm	5+	5	36,2 m <sup>2</sup>	165 cm
RB1314	-	875 cm	410 cm	340 cm	5+	12	55,4 m <sup>2</sup>	165 cm
RB1315	-	1110 cm	780 cm	370 cm	5+	21	88,9 m <sup>2</sup>	180 cm
RB1316	-	510 cm	340 cm	280 cm	5+	16	40,6 m <sup>2</sup>	90 cm





RB1201



RB1203



RB1202




RB1205




RB1206



RB1207

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1201	●	150 cm	150 cm	195 cm	1+	4	18,3 m <sup>2</sup>	< 60 cm
RB1202	●	240 cm	150 cm	195 cm	1+	8	20,7 m <sup>2</sup>	< 60 cm
RB1203	●	270 cm	270 cm	220 cm	1+	9	26,3 m <sup>2</sup>	< 60 cm
RB1205	-	340 cm	220 cm	315 cm	2+	8	26,7 m <sup>2</sup>	90 cm
RB1206	-	350 cm	335 cm	315 cm	2+	9	30,0 m <sup>2</sup>	90 cm
RB1207	●	580 cm	340 cm	315 cm	2+	21	45,0 m <sup>2</sup>	90 cm








RB1211



RB1215


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1211	●	460 cm	330 cm	375 cm	3+	10	32,2 m <sup>2</sup>	150 cm
RB1215	-	630 cm	560 cm	435 cm	5+	22	50,2 m <sup>2</sup>	238 cm



RB1216



RB1217

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1216	-	680 cm	680 cm	355 cm	5+	28	61,5 m <sup>2</sup>	238 cm
RB1217	-	950 cm	890 cm	435 cm	5+	39	84,3 m <sup>2</sup>	238 cm





RB1241



RB1243



RB1244




RB1242



RB1245



RB1246

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1241	●	275 cm	130 cm	210 cm	1+	12	22,8 m <sup>2</sup>	< 60 cm
RB1242	●	400 cm	270 cm	290 cm	2+	11	32,7 m <sup>2</sup>	90 cm
RB1243	●	170 cm	130 cm	135 cm	1+	10	18,3 m <sup>2</sup>	< 60 cm
RB1244	●	170 cm	130 cm	170 cm	1+	11	18,3 m <sup>2</sup>	< 60 cm
RB1245	●	430 cm	230 cm	170 cm	1+	25	29,3 m <sup>2</sup>	< 60 cm
RB1246	●	830 cm	350 cm	290 cm	2+	36	52,3 m <sup>2</sup>	90 cm



RB1231



RB1234



RB1235



RB1232




RB1233



RB1236



RB1237

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1231	●	490 cm	290 cm	400 cm	3+	12	29,8 m <sup>2</sup>	90 cm
RB1232	●	320 cm	150 cm	160 cm	2+	9	22,6 m <sup>2</sup>	110 cm
RB1234	●	400 cm	150 cm	350 cm	1+	9	25,0 m <sup>2</sup>	110 cm
RB1235	●	370 cm	300 cm	300 cm	2+	6	28,6 m <sup>2</sup>	110 cm
RB1233	●	590 cm	190 cm	310 cm	2+	8	33,4 m <sup>2</sup>	110 cm
RB1236	-	320 cm	180 cm	500 cm	3+	5	22,1 m <sup>2</sup>	150 cm
RB1237	-	820 cm	340 cm	400 cm	3+	20	49,3 m <sup>2</sup>	90 cm



RB1238



Product code



Product length

Product width

Product height

Age range

Number of users

Safety zone

Free-fall height

RB1238



850 cm

630 cm

460 cm

3+

40

76,5 m<sup>2</sup>

150 cm







**New!**

RB1247

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1247	-	1140 cm	535 cm	310 cm	3+	36	83,9 m <sup>2</sup>	120 cm



RB1323



RB1324



RB1322



RB1321




RB1227



RB1228



RB1229

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1323	-	150 cm	30 cm	20 cm	-	-	-	-
RB1324	-	85 cm	25 cm	25 cm	-	-	-	-
RB1321	-	155 cm	155 cm	130 cm	-	-	-	-
RB1322	-	190 cm	145 cm	220 cm	-	-	-	-
RB1227	-	215 cm	65 cm	205 cm	2+	10	15,5 m <sup>2</sup>	< 60 cm
RB1228	-	205 cm	40 cm	205 cm	2+	10	15,2 m <sup>2</sup>	< 60 cm
RB1229	-	260 cm	210 cm	330 cm	2+	8	21,9 m <sup>2</sup>	< 60 cm



RB1251



RB1252



RB1259



RB1253



RB1255



RB1256



RB1257

Customise your own obstacle course




RB1254



RB1258



RB1260

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1251	-	20 cm	20 cm	30 cm	1+	1	8,3 m <sup>2</sup>	< 60 cm
RB1252	-	100 cm	50 cm	35 cm	1+	2	12,1 m <sup>2</sup>	< 60 cm
RB1259	-	180 cm	65 cm	30 cm	3+	5	15,0 m <sup>2</sup>	< 60 cm
RB1253	-	200 cm	30 cm	50 cm	6+	3	14,6 m <sup>2</sup>	< 60 cm
RB1255	-	300 cm	20 cm	50 cm	3+	6	18,5 m <sup>2</sup>	< 60 cm
RB1256	-	500 cm	170 cm	59 cm	3+	11	25,7 m <sup>2</sup>	< 60 cm
RB1257	-	630 cm	290 cm	59 cm	3+	16	34,5 m <sup>2</sup>	< 60 cm
RB1254	-	400 cm	20 cm	50 cm	3+	7	21,1 m <sup>2</sup>	< 60 cm
RB1258	-	274 cm	19 cm	40 cm	3+	6	17,3 m <sup>2</sup>	< 60 cm
RB1260	-	250 cm	140 cm	130 cm	3+	4	20,7 m <sup>2</sup>	< 60 cm



RB1264




RB1265



RB1266




RB1267



RB1263



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1264	-	190 cm	89 cm	155 cm	3+	4	15,6 m <sup>2</sup>	126 cm
RB1265	-	261 cm	159 cm	155 cm	3+	6	17,8 m <sup>2</sup>	126 cm
RB1266	-	169 cm	75 cm	138 cm	3+	6	16,5 m <sup>2</sup>	120 cm
RB1267	-	180 cm	100 cm	200 cm	4+	6	22,1 m <sup>2</sup>	190 cm
RB1263	-	319 cm	118 cm	95 cm	3+	12	23,9 m <sup>2</sup>	80 cm





RB1279



RB1270



RB1271



RB1284



RB1283



RB1278



RB1287




RB1286



RB1269



RB1288

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1279	-	225 cm	125 cm	99 cm	2+	3	20,4 m <sup>2</sup>	99 cm
RB1270	-	119 cm	110 cm	90 cm	1+	5	15,2 m <sup>2</sup>	< 60 cm
RB1271	-	250 cm	40 cm	150 cm	3+	5	17,2 m <sup>2</sup>	< 60 cm
RB1278	-	226 cm	70 cm	25 cm	3+	5	17,1 m <sup>2</sup>	< 60 cm
RB1283	-	450 cm	140 cm	115 cm	4+	4	31,1 m <sup>2</sup>	115 cm
RB1284	-	210 cm	75 cm	210 cm	4+	4	23,8 m <sup>2</sup>	210 cm
RB1286	-	360 cm	125 cm	105 cm	6+	8	26,1 m <sup>2</sup>	< 60 cm
RB1287	-	245 cm	70 cm	155 cm	4+	2	18,2 m <sup>2</sup>	< 60 cm
RB1288	-	295 cm	130 cm	100 cm	4+	6	23,7 m <sup>2</sup>	77 cm
RB1269	-	200 cm	60 cm	30 cm	2+	8	14,6 m <sup>2</sup>	< 60 cm



RB1272



RB1273



RB1274



RB1262



RB1280

New!




RB1261



RB1357



RB1289


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1272	-	375 cm	50 cm	160 cm	3+	7	21,7 m <sup>2</sup>	< 60 cm
RB1273	-	475 cm	290 cm	180 cm	3+	11	30,8 m <sup>2</sup>	90 cm
RB1274	-	324 cm	200 cm	117 cm	3+	16	29,7 m <sup>2</sup>	117 cm
RB1262	-	206 cm	116 cm	238 cm	5+	6	21,3 m <sup>2</sup>	238 cm
RB1280	-	515 cm	475 cm	170 cm	4+	6	45,9 m <sup>2</sup>	83 cm
RB1357	-	215 cm	125 cm	350 cm	3+	11	17,4 m <sup>2</sup>	< 60 cm
RB1261	-	215 cm	60 cm	195 cm	3+	5	15,1 m <sup>2</sup>	< 60 cm
RB1289	-	160 cm	135 cm	285 cm	3+	9	15,8 m <sup>2</sup>	< 60 cm




RB1282



RB1380



RB1285

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1282	-	347 cm	43 cm	220 cm	3+	10	20,6 m <sup>2</sup>	120 cm
RB1380	●	170 cm	170 cm	50 cm	4+	6	20,2 m <sup>2</sup>	< 60 cm
RB1285	-	175 cm	83 cm	175 cm	3+	3	18,7 m <sup>2</sup>	175 cm



RB1277



RB1281




RB1276



RB1275



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1277	-	230 cm	230 cm	200 cm	4+	10	32,0 m <sup>2</sup>	190 cm
RB1276	-	191 cm	185 cm	110 cm	3+	4	19,6 m <sup>2</sup>	110 cm
RB1275	-	314 cm	253 cm	110 cm	3+	14	27,2 m <sup>2</sup>	110 cm
RB1281	●	335 cm	320 cm	115 cm	3+	8	30,3 m <sup>2</sup>	115 cm






RB1218




RB1219




RB1220


Customise your own  
obstacle course



RB1222



RB1221


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1218	-	860 cm	50 cm	190 cm	3+	16	38,6 m <sup>2</sup>	< 60 cm
RB1219	-	1060 cm	280 cm	195 cm	3+	24	53,5 m <sup>2</sup>	< 60 cm
RB1220	-	1380 cm	565 cm	190 cm	3+	51	106,3 m <sup>2</sup>	< 60 cm
RB1221	-	1195 cm	195 cm	190 cm	3+	23	55,9 m <sup>2</sup>	< 60 cm
RB1222	-	1225 cm	520 cm	245 cm	5+	46	98,9 m <sup>2</sup>	190 cm



RB1223



RB1224

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1223	-	940 cm	510 cm	295 cm	3+	42	82,8 m <sup>2</sup>	190 cm
RB1224	-	1330 cm	940 cm	295 cm	6+	62	130,9 m <sup>2</sup>	200 cm




RB1319



RB1310



RB1312

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1319	-	780 cm	690 cm	240 cm	3+	49	75,4 m <sup>2</sup>	200 cm
RB1310	-	281 cm	232 cm	200 cm	4+	11	33,2 m <sup>2</sup>	200 cm
RB1312	-	444 cm	441 cm	240 cm	5+	22	53,5 m <sup>2</sup>	240 cm








**New!**




RB1381



RB1382



RB1383



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1381	-	265 cm	265 cm	255 cm	3+	10	30,0 m <sup>2</sup>	99 cm
RB1382	-	310 cm	310 cm	305 cm	3+	14	35,3 m <sup>2</sup>	99 cm
RB1383	-	700 cm	700 cm	450 cm	3+	44	78,5 m <sup>2</sup>	100 cm




RB1291



RB1295



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)
RB1290	-	145 cm	105 cm	150 cm	2+	4	15,6 m <sup>2</sup>	< 60 cm	59 cm	94 cm	59 cm
RB1291	-	201 cm	102 cm	180 cm	2+	4	17,1 m <sup>2</sup>	90 cm	90 cm	153 cm	90 cm
RB1292	-	250 cm	102 cm	208 cm	3+	4	18,6 m <sup>2</sup>	120 cm	120 cm	214 cm	120 cm
RB1293	-	298 cm	102 cm	238 cm	3+	4	19,8 m <sup>2</sup>	150 cm	150 cm	266 cm	150 cm
RB1294	-	346 cm	102 cm	267 cm	3+	5	23,4 m <sup>2</sup>	180 cm	180 cm	319 cm	180 cm
RB1295	-	190 cm	102 cm	178 cm	3+	2	16,9 m <sup>2</sup>	< 60 cm	90 cm	153 cm	25 cm
RB1296	-	233 cm	102 cm	208 cm	3+	2	17,8 m <sup>2</sup>	< 60 cm	120 cm	214 cm	25 cm
RB1297	-	276 cm	102 cm	238 cm	3+	2	18,9 m <sup>2</sup>	< 60 cm	150 cm	266 cm	25 cm
RB1298	-	319 cm	102 cm	268 cm	3+	2	19,9 m <sup>2</sup>	< 60 cm	180 cm	319 cm	25 cm
RB1299	-	361 cm	102 cm	298 cm	3+	2	21,2 m <sup>2</sup>	< 60 cm	210 cm	372 cm	25 cm



**MODULAR  
SYSTEM**



RB1331



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1331	-	190 cm	190 cm	19 cm	1+	5	23,0 m <sup>2</sup>	< 60 cm



RB1327



RB1330

New!



RB1326




RB1328



RB1333



RB1347

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1327	●	265 cm	170 cm	215 cm	1+	8	21,5 m <sup>2</sup>	< 60 cm
RB1330	●	200 cm	110 cm	185 cm	1+	3	18,6 m <sup>2</sup>	< 60 cm
RB1326	●	195 cm	150 cm	215 cm	1+	5	18,3 m <sup>2</sup>	< 60 cm
RB1328	●	405 cm	195 cm	280 cm	3+	12	26,5 m <sup>2</sup>	< 60 cm
RB1333	●	560 cm	560 cm	210 cm	1+	52	72,0 m <sup>2</sup>	< 60 cm
RB1347	●	100 cm	420 cm	170 cm	3+	2	20,2 m <sup>2</sup>	99 cm





RB2851

RB2852




RB2854

RB2856




RB2859



RB2862



RB2864

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB2851	●	95 cm	80 cm	120 cm	1+	5	12,6 m <sup>2</sup>	< 60 cm
RB2852	●	295 cm	30 cm	120 cm	1+	9	17,4 m <sup>2</sup>	< 60 cm
RB2854	●	340 cm	90 cm	155 cm	1+	16	21,9 m <sup>2</sup>	< 60 cm
RB2856	●	200 cm	180 cm	180 cm	1+	14	20,2 m <sup>2</sup>	< 60 cm
RB2859	●	375 cm	315 cm	125 cm	1+	14	27,7 m <sup>2</sup>	< 60 cm
RB2862	●	310 cm	225 cm	170 cm	1+	12	26,9 m <sup>2</sup>	95 cm
RB2864	●	355 cm	330 cm	185 cm	1+	20	32,9 m <sup>2</sup>	< 60 cm




RB2866



RB2867



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB2866	●	410 cm	335 cm	310 cm	1+	17	33,1 m <sup>2</sup>	90 cm
RB2867	●	715 cm	410 cm	185 cm	1+	41	52,5 m <sup>2</sup>	90 cm



RB1339



RB1336

New!



RB1337



RB1338




RB1340




RB1346



RB1345

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1339	●	220 cm	75 cm	120 cm	1+	3	15,3 m <sup>2</sup>	< 60 cm
RB1337	●	40 cm	25 cm	100 cm	2+	1	9,1 m <sup>2</sup>	< 60 cm
RB1338	●	40 cm	30 cm	100 cm	2+	1	9,3 m <sup>2</sup>	< 60 cm
RB1336	●	195 cm	65 cm	225 cm	2+	2	16,1 m <sup>2</sup>	< 60 cm
RB1340	●	125 cm	45 cm	115 cm	1+	2	12,7 m <sup>2</sup>	< 60 cm
RB1346	●	45 cm	35 cm	110 cm	1+	2	9,6 m <sup>2</sup>	< 60 cm
RB1345	●	37 cm	22 cm	90 cm	1+	2	9,6 m <sup>2</sup>	< 60 cm



RB1344




RB1341



RB1342



RB1343

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1344	●	311 cm	309 cm	150 cm	1+	10	25,2 m <sup>2</sup>	< 60 cm
RB1341	●	155 cm	25 cm	150 cm	1+	2	12,9 m <sup>2</sup>	< 60 cm
RB1342	●	125 cm	20 cm	140 cm	1+	2	11,7 m <sup>2</sup>	< 60 cm
RB1343	●	130 cm	130 cm	140 cm	1+	4	15,1 m <sup>2</sup>	< 60 cm





RB1361



RB1362



RB1363



RB1366




RB1364



RB1369



RB1365

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1361	-	73 cm	36 cm	84 cm	1+	1	10,8 m <sup>2</sup>	< 60 cm
RB1362	-	81 cm	36 cm	84 cm	1+	1	10,9 m <sup>2</sup>	< 60 cm
RB1363	-	84 cm	40 cm	84 cm	1+	1	11,1 m <sup>2</sup>	< 60 cm
RB1366	-	90 cm	50 cm	85 cm	1+	1	11,7 m <sup>2</sup>	< 60 cm
RB1364	-	170 cm	135 cm	80 cm	3+	4	15,9 m <sup>2</sup>	< 60 cm
RB1369	●	97 cm	97 cm	47 cm	3+	3	12,4 m <sup>2</sup>	< 60 cm
RB1365	-	325 cm	22 cm	59 cm	1+	6	18,8 m <sup>2</sup>	< 60 cm



RB1372




RB1373



RB1375



RB0700

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1372	-	120 cm	120 cm	73 cm	3+	4	21,3 m <sup>2</sup>	73 cm
RB1373	-	150 cm	150 cm	68 cm	3+	8	23,8 m <sup>2</sup>	100 cm
RB1375	-	255 cm	20 cm	150 cm	3+	3	16,7 m <sup>2</sup>	< 60 cm
RB0700	-	50 cm	50 cm	45 cm	3+	3	15,9 m <sup>2</sup>	100 cm



RB1351



RB1352




RB1422



RB1491




RB1424



RB1421

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1351	-	320 cm	64 cm	96 cm	3+	2	13,4 m <sup>2</sup>	99 cm
RB1352	-	410 cm	64 cm	96 cm	3+	4	15,9 m <sup>2</sup>	99 cm
RB1421	-	205 cm	260 cm	238 cm	1+/3+	1	13,0 m <sup>2</sup>	130 cm
RB1422	-	205 cm	370 cm	238 cm	1+/3+	2	21,5 m <sup>2</sup>	130 cm
RB1491	-	207 cm	556 cm	238 cm	1+/3+	3	35,2 m <sup>2</sup>	130 cm
RB1424	-	205 cm	670 cm	238 cm	1+/3+	4	42,5 m <sup>2</sup>	130 cm



RB1423



RB1492



RB1494



RB1497




RB0520



RB0517



RB0513

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1423	●	205 cm	327 cm	238 cm	3+	7	18,1 m <sup>2</sup>	130 cm
RB1492	●	205 cm	512 cm	238 cm	1+/3+	8	31,8 m <sup>2</sup>	130 cm
RB1494	●	205 cm	625 cm	238 cm	1+/3+	9	40,3 m <sup>2</sup>	130 cm
RB1497	●	205 cm	581 cm	238 cm	3+	14	37,0 m <sup>2</sup>	130 cm
RB0520	-	210 cm	270 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm
RB0517	●	250 cm	355 cm	300 cm	3+	1	18,1 m <sup>2</sup>	145 cm
RB0513	●	100 cm	310 cm	180 cm	3+	7	15,5 m <sup>2</sup>	105 cm



**New!**



RB0514



RB0510

**Available seats:**




**MODULAR SYSTEM**



RB0511



RB0512

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB0514	-	125 cm	25 cm	145 cm	1+/3+	1	11,9 m <sup>2</sup>	< 60 cm
RB0510	-	20 cm	170 cm	180 cm	1+/3+	1	11,4 m <sup>2</sup>	99 cm
RB0511	-	20 cm	320 cm	180 cm	1+/3+	2	21,2 m <sup>2</sup>	99 cm
RB0512	-	20 cm	470 cm	180 cm	1+/3+	3	31,0 m <sup>2</sup>	99 cm



RB0515



RB0521-1



RB1385

Available length:  
20 m, 30 m, 40 m



RB1386


Available length:  
20 m, 30 m, 40 m



RB1385H



RB1386H

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB0515	-	650 cm	620 cm	240 cm	1+/3+	5	46,5 m <sup>2</sup>	130 cm
RB0521-1	-	500 cm	320 cm	280 cm	3+	4	13,6 m <sup>2</sup>	130 cm
RB1385	-	2465 cm	340 cm	400 cm	5+	1	84,4 m <sup>2</sup>	175 cm
RB1386	-	2440 cm	310 cm	400 cm	5+	2	133,4 m <sup>2</sup>	175 cm
RB1385H	-	2465 cm	340 cm	400 cm	5+	1	84,4 m <sup>2</sup>	85 cm
RB1386H	-	2440 cm	265 cm	400 cm	5+	2	133,4 m <sup>2</sup>	85 cm

**New!**



RB1387



RB1388



RB1389



RB1350



RB1348



RB1349



RB1391



RB1395



RB1399



RB1392




RB1390



RB1394



RB1393

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1387	-	420 cm	475 cm	240 cm	-	-	-	-
RB1388	-	470 cm	470 cm	240 cm	-	-	-	-
RB1389	-	930 cm	575 cm	340 cm	-	-	-	-
RB1350	-	189 cm	92 cm	70 cm	-	-	-	-
RB1349	-	210 cm	180 cm	40 cm	-	-	-	-
RB1348	-	216 cm	207 cm	160 cm	-	-	-	-
RB1391	-	161 cm	61 cm	80 cm	-	-	-	-
RB1392	-	150 cm	44 cm	43 cm	-	-	-	-
RB1390	-	155 cm	60 cm	95 cm	-	-	-	-
RB1395	-	37 cm	30 cm	76 cm	-	-	-	-
RB1399	-	50 cm	20 cm	180 cm	-	-	-	-
RB1394	-	150 cm	75 cm	75 cm	-	-	-	-
RB1393	-	150 cm	170 cm	75 cm	-	-	-	-



RB1268




RB1396



RB1398



RB1397

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1268	-	275 cm	65 cm	120 cm	-	-	-	-
RB1396	-	180 cm	14 cm	90 cm	-	-	-	-
RB1398	-	133 cm	19 cm	110 cm	-	-	-	-
RB1397	-	168 cm	20 cm	110 cm	-	-	-	-

Characteristics of the ROBINIA series:



Robinia wood construction



Stainless steel elements



HPL panels



Stainless steel slides



Ropes with steel core



Polycarbonate (PC) panels



Durable connectors








**Get higher!**






# Let's play in the sky!

Tall conical and cubic towers reaching to the sky are a paradise for children. Made of the highest quality materials, with a beautiful design, enriched with educational elements and musical panels, as well as stainless steel tube slides. Thanks to the modular system, they can be the whole playground themselves or be its main advantage.



## MODULAR SYSTEM



### Construction

Steel construction of high modular tower equipment is made of sturdy profiles hot-dip galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate available in a great variety of colours. Our products are aesthetically pleasing and prepared with great care to obtain highest quality design requirements.




### Modular system

High tower sets can consist of many different configurations. They are available with different height options, can be made of single elements, or connected by steel passages or bridges. This makes them flexible to fit any project.



### Educational panels

Various educational elements made of the highest quality HPL panels make the playground more attractive, creating an interesting place not only for teenagers but also for younger children.



### Design

Side walls of tower sets can be made of very durable material, resistant to weather conditions, including UV rays and a wide range of temperatures. Covered with cheerful graphics created from scratch by a team of creative graphic artists, it allows to customize the appearance of any playground.




### Openwork steel passages

Passages made of thick stainless wire create openwork spiral passages connecting individual parts of equipment. This makes the structure look lighter and allows children to play with a bit of a thrill.



### Musical panels

To make it even more fun our products can be boosted by musical elements made of the highest quality stainless steel and colorful talking tubes.



### Activity elements

Inside the cubes and cones, there are many activity ladders, nets, and bridges, made of galvanised steel ropes in polypropylene braid, linked with durable fasteners. The rope elements are processed using hydraulic presses with a pressure of 150 tons. These rope nets are a real challenge for children, thus supporting their psycho-motor development.



### Stainless steel Tube slides

Slides made of certified AISI 304 and AISI 316 stainless steel with 790mm diameter, sanded surface. Available variants: straight, curved or spiral depending on the design. The entire production process of stainless-steel tube slides is performed by highly-qualified employees. They design the tubes, then roll them with high precision, match all the elements of the device, and finally, connect the components using durable and secure welds.



# Qubix

New series!

## Have fun in cubes!

The new QUBIX series are geometric constructions filled with activity elements. Their modern design fits perfectly into urban spaces, while providing children and teenagers with a great place to develop their motor coordination. Interesting graphics and symmetrical shapes of steel structures will delight both children and caregivers.




2505



2502




2503



MODULAR SYSTEM



2504



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
2505	-	1320 cm	955 cm	890 cm	4 - 14	47	73,5 m <sup>2</sup>	150 cm	-	220, 560, 660 cm	●	●	-	-	●
2502	-	250 cm	245 cm	225 cm	4 - 14	20	28,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-	-	●
2503	-	765 cm	315 cm	445 cm	4 - 14	33	43,9 m <sup>2</sup>	< 60 cm	-	220 cm	●	●	-	-	●
2504	-	1030 cm	325 cm	665 cm	4 - 14	45	43,7 m <sup>2</sup>	< 60 cm	-	560 cm	●	●	-	-	●



2506



2507

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	
2506	-	2050 cm	780 cm	665 cm	4 - 14	90	85,6 m <sup>2</sup>	< 60 cm	-	560 cm	●	●	-	-	●	●
2507	-	2315 cm	1365 cm	885 cm	4 - 14	135	133,5 m <sup>2</sup>	99 cm	-	220, 560, 665 cm	●	●	-	-	●	●

Characteristics of the QUBIX series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HPL panels



UV printed PC panels



Polycarbonate (PC) panels



Stainless steel tube slides



Durable connectors



Ropes with steel core

Colour & material options\*:



Construction:



Tubes:

● Painted steel RAL7016

- Stainless steel

● Stainless steel

# jungle

## Wild adventure!

The JUNGLE series will allow you to climb to the heights and conquer the unconquered.

High, up to 9,5 meters above the ground, the greatest adventures will take place like in the crown of trees! Among green leaves, branches and colourful cheerful graphics, everyone will be able to turn into a traveler and explorer.

High tube slides are really fun - not only for small kids, and the climbing elements are a challenge and encouragement to be active.



3231

### See also from the other series:



0672 (p. 199)



0674 (p. 199)



ST1421 (p. 205)

New!



3201



3202



3203



3204

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
3231	●	1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●	-	●	-
3201	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3202	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3203	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-
3204	●	570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-	●	●	-	●	-





3227



3240



3230



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3227		535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-			-		-
3230		745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm			-		-
3240		1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm			-		-














3241



3245

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction Panels				
											steel	inox	wood	HDPE	HPL
3241		1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3245		1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm			-		-



3260

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction		Panels		
											steel	inox	wood	HDPE	HPL
3260		2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm			-		-

#### Characteristics of the JUNGLE series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



Stainless steel tube slides

#### Colour & material options\*:




Construction:



Slides:



Tubes:

 Painted steel RAL1011

 Stainless steel

- Stainless steel

- Fiberglass

- Stainless steel

- PE

# space

## Explore the universe!

The SPACE series is a fulfillment of childhood dreams of space travel.

The towers up to 9,5 meters high, like space rockets, will lift children high above the ground. Colourful graphics, lots of activity and play elements, including tube slides made of the highest quality stainless steel, will not let you get bored.



3427

### See also from the other series:



0711 (p. 215)



0673 (p. 196)



ST1421 (p. 205)

**New!**



3401



3402



3403



3404










Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3427	●	535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-	●	●	-	●	-
3401	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3402	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3403	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-
3404	●	570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-	●	●	-	●	-




3430



3431

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction		Panels		
											steel	inox	wood	HDPE	HPL
3430		745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm			-		-
3431		1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm			-		-


















3440



3441



3445

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3440		1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm			-		-
3441		1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3445		1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm			-		-





3460

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction Panels				
											steel	inox	wood	HDPE	HPL
3460		2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm			-		-

### Characteristics of the SPACE series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



Stainless steel tube slides

### Colour & material options\*:



Construction:

- Painted steel RAL5000
- Stainless steel



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE

# castillo

## Explore a castle theme!

Breathtaking castles, monumental towers, passages and hiding places made of rope elements, tube slides... And much more! Each child will be able to feel the atmosphere of medieval times, turn into knights and princesses, fight dragons, and lock the wicked in dungeons.

Castillo towers made of the highest quality materials will provide guaranteed entertainment for users of all ages.



3001-1



3040-1

### See also from the other series:



0826 (p. 154)



0651 (p. 196)




ST1421 (p. 205)



3002-1



3003-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3001-1	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3040-1	●	1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	●	-
3002-1	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3003-1	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-



3004-1



3027-1



3028-1



3030-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3004-1		570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-			-		-
3027-1		535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-			-		-
3028-1		825 cm	735 cm	510 cm	4 - 14	44	63,2 m <sup>2</sup>	270 cm	90, 120 cm	240 cm			-		-
3030-1		745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm			-		-







3029-1



3041-1



3031-1





3045-1


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3029-1	●	1195 cm	1075 cm	510 cm	4 - 14	101	134,5 m <sup>2</sup>	240 cm	90, 120, 150 cm	240 cm	●	●	-	●	-
3041-1	●	1530 cm	1325 cm	955 cm	4 - 14	162	141,1m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm	●	●	-	●	-
3031-1	●	1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●	-	●	-
3045-1	●	1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm	●	●	-	●	-





3060-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels
3060-1		2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm	● ● - ● ●	- -



3080

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3080		1200 cm	605 cm	645 cm	4 - 14	87	100,9 m <sup>2</sup>	270 cm	120, 150 cm	180 cm			-		-

Characteristics of the CASTILLO series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels



Stainless steel tube slides

Colour & material options\*:



Construction:

- Painted steel RAL7016
- Stainless steel



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE

# steel+

## Simple fun!

The STEEL+ series comprises modern tower structures with many features that will delight both younger and older children.

Colourful towers enriched with musical elements are just the perfect place to have some fun with fellow companions and are also a great spot for relaxation.

A vast variety of devices with educational elements facilitate the integration of children of different fitness levels.




1723



1702



1709

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1723	●	313 cm	281 cm	206 cm	1 - 8	13	25,3 m <sup>2</sup>	70 cm	-	-	●	●	-	●	●	●	-
1702	●	278 cm	226 cm	313 cm	1 - 8	9	23,9 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	●	●	-
1709	●	521 cm	364 cm	373 cm	3 - 14	27	44,6 m <sup>2</sup>	180 cm	150, 180 cm	-	●	●	-	●	●	●	-



1701



1726

New!



1725



1724



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1701	●	224 cm	234 cm	286 cm	1 - 8	9	22,2 m <sup>2</sup>	90 cm	90 cm	-	●	●	-	●	●	●	-
1726	●	660 cm	545 cm	235 cm	1 - 8	38	55,4 m <sup>2</sup>	99 cm	-	-	●	●	-	●	●	●	-
1725	●	700 cm	590 cm	235 cm	1 - 8	25	69,9 m <sup>2</sup>	< 60 cm	59 cm	-	●	●	-	●	●	●	-
1724	●	323 cm	310 cm	283 cm	1 - 8	14	30,5 m <sup>2</sup>	90 cm	90 cm	-	●	●	-	●	●	●	-






1703



1704



1705

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1703	●	475 cm	217 cm	343 cm	3 - 14	12	31,7 m <sup>2</sup>	200 cm	150 cm	-	●	●	-	●	●	●	-
1704	●	367 cm	304 cm	313 cm	3 - 14	9	31,5 m <sup>2</sup>	220 cm	120 cm	-	●	●	-	●	●	●	-
1705	●	363 cm	503 cm	313 cm	3 - 14	11	40,6 m <sup>2</sup>	200 cm	120 cm	-	●	●	-	●	●	●	-



1706



1717



1707



1708



1710



1712



1711



1713

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1706	●	499 cm	461 cm	316 cm	3 - 14	13	41,4 m <sup>2</sup>	200 cm	120 cm	-	●	●	-	●	●	●	-
1717	●	333 cm	251 cm	316 cm	3 - 14	11	29,3 m <sup>2</sup>	200 cm	-	-	●	●	-	●	●	●	-
1707	●	349 cm	334 cm	343 cm	3 - 14	15	31,2 m <sup>2</sup>	150 cm	150 cm	-	●	●	-	●	●	●	-
1708	●	400 cm	356 cm	373 cm	3 - 14	24	40,5 m <sup>2</sup>	220 cm	150 cm	-	●	●	-	●	●	●	-
1710	●	451 cm	395 cm	343 cm	3 - 14	29	45,1 m <sup>2</sup>	200 cm	90, 150 cm	-	●	●	-	●	●	●	-
1712	●	568 cm	396 cm	373 cm	3 - 14	31	52,1 m <sup>2</sup>	220 cm	180 cm	-	●	●	-	●	●	●	-
1711	●	702 cm	338 cm	373 cm	3 - 14	32	55,1 m <sup>2</sup>	200 cm	90, 180 cm	-	●	●	-	●	●	●	-
1713	●	606 cm	365 cm	343 cm	3 - 14	45	55,8 m <sup>2</sup>	220 cm	120, 150, 180 cm	-	●	●	-	●	●	●	-



1727



1728



1730-1




1731



1740



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1727	●	535 cm	375 cm	510 cm	4 - 14	38	44,1 m <sup>2</sup>	270 cm	90, 210 cm	-	●	●	-	●	●	●	-
1728	●	825 cm	735 cm	510 cm	4 - 14	44	63,2 m <sup>2</sup>	270 cm	90, 120 cm	240 cm	●	●	-	●	●	●	-
1730-1	●	745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm	●	●	-	●	●	●	-
1731	●	1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●	-	●	●	●	-
1740	●	1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	●	●	●	-




1741



1745



1790


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1741	●	1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm	●	●	-	●	●	●	-
1745	●	1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm	●	●	-	●	●	●	-
1790	●	2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm	●	●	-	●	●	●	-







1736



1780

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants				
											steel	inox	wood	HDPE	HPL			
1736		498 cm	324 cm	286 cm	3 - 14	24	37,9 m <sup>2</sup>	90 cm	90 cm	-			-					-
1780		1200 cm	605 cm	645 cm	4 - 14	87	101,4 m <sup>2</sup>	270 cm	120, 150 cm	180 cm			-					-

### Characteristics of the STEEL+ series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels



Stainless steel tube slides

### Colour & material options\*:



Colour (panels):

- HDPE - RAL6024
- HDPE - RAL3020
- C11E HDPE - multicolour
- HDPE - RAL5015
- HDPE - RAL8024



Construction:

- Painted steel RAL 7040
- Stainless steel



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE



Anchoring:

- Surface
- Deep

# topicco

## Play a role!

A series of role-playing devices: a train station, a fire station, a fire truck, a lighthouse, a ship, a truck or a roller. These devices release a child's natural tendency to play happily and learn the "adult world" as well as engage in teamwork training.

The TOPICCO series offers a number of elements such as educational panels or manual elements that stimulate motor skills and positively affect the intellectual development of young children.













WD1534



WD1541



WD1542

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants	
											steel	inox	wood	HDPE	HPL
WD1534		600 cm	585 cm	630 cm	3 - 14	39	49,4 m <sup>2</sup>	180 cm	-	180, 330 cm	-	-			-
WD1541		510 cm	310 cm	405 cm	1 - 8	22	38,0 m <sup>2</sup>	210 cm	59 cm	210 cm	-	-			-
WD1542		880 cm	830 cm	405 cm	1 - 8	54	94,6 m <sup>2</sup>	210 cm	59 cm	210 cm	-	-			-



3101



3102



3103



3104

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants	
											steel	inox	wood	HDPE	HPL
3101	●	346 cm	268 cm	202 cm	3 - 12	13	27,9 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-
3102	●	439 cm	207 cm	202 cm	3 - 12	15	29,2 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-
3103	●	296 cm	268 cm	200 cm	3 - 12	14	25,9 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-
3104	●	298 cm	268 cm	206 cm	3 - 12	14	26,2 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-

Characteristics of the TOPICCO series:



Wood construction



Galvanised anchors



Galvanised steel construction or elements



Stainless steel elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



PE tube slides



Durable connectors



PP tunnels

Colour & material options\*:



Anti-slip and waterproof platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Tubes:

- PE
- Stainless steel



Anchoring:

- Surface
- Deep





# wooden

## Equipment from painted wood

The WOODEN series is an endless source of inspiration for both younger and older children how to have fun.

Various educational and sensory panels, coupled with moving elements, will bring children lots of joy and draw a lot of interest.

The environmentally friendly wooden equipment from this series stimulates the child's comprehensive physical development and also allows a large group of kids to play together at the same time. Thanks to this, child learns how to establish relationships with their fellows and how to work as part of a team.



WD1503



WD1403



WD1437



WD1401



WD1402



WD1407

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1503	●	342 cm	336 cm	247 cm	1 - 8	25	33,8 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	●●●●●
WD1403	●	204 cm	139 cm	170 cm	3 - 14	7	18,8 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●●●●●
WD1437	●	349 cm	173 cm	103 cm	1 - 8	15	27,3 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●●●●●
WD1401	●	97 cm	96 cm	139 cm	1 - 8	4	13,8 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●●●●●
WD1402	●	166 cm	99 cm	191 cm	1 - 8	6	15,6 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●●●●●
WD1407	●	260 cm	270 cm	280 cm	3 - 14	13	27,5 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●●●●●





WD1505



WD1501



WD1506

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants		
											steel	inox	wood	HDPE	HPL	
WD1501	-	218 cm	224 cm	277 cm	1 - 8	9	21,7 m <sup>2</sup>	90 cm	90 cm	40, 90 cm	-	-	●	●	●	●
WD1505	●	675 cm	580 cm	280 cm	1 - 8	58	62,1 m <sup>2</sup>	90 cm	90 cm	35, 40, 59, 90 cm	-	-	●	●	●	●
WD1506	●	825 cm	830 cm	280 cm	1 - 8	90	96,2 m <sup>2</sup>	90 cm	59, 90 cm	35, 40, 59, 90 cm	-	-	●	●	●	●





WD1434



WD1436



WD1504



WD1502

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants				
											steel	inox	wood	HDPE	HPL		
WD1434	●	215 cm	145 cm	280 cm	1 - 8	7	19,5 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	-	-	●	●	●	●	●
WD1436	-	360 cm	315 cm	280 cm	1 - 8	14	30,4 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	-	-	●	●	●	●	●
WD1504	●	440 cm	451 cm	367 cm	3 - 12	29	43,4 m <sup>2</sup>	180 cm	120, 150 cm	35, 120, 150, 180 cm	-	-	●	●	●	●	●
WD1502	●	247 cm	213 cm	307 cm	1 - 8	11	22,9 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-	●	●	●	●	●





WD1408



WD1406



WD1404




WD1405



WD1438



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1408	●	365 cm	290 cm	310 cm	3 - 14	13	31,1 m <sup>2</sup>	120 cm	120 cm	90, 120 cm	-	-	●	●●●●●
WD1406	-	316 cm	252 cm	310 cm	3 - 14	11	26,2 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-	●	●●●●●
WD1404	-	314 cm	150 cm	307 cm	3 - 14	7	22,4 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-	●	●●●●●
WD1405	●	328 cm	245 cm	337 cm	3 - 14	13	26,4 m <sup>2</sup>	150 cm	150 cm	150 cm	-	-	●	●●●●●
WD1438	●	328 cm	474 cm	307 cm	3 - 14	12	38,1 m <sup>2</sup>	130 cm	120 cm	120 cm	-	-	●	●●●●●



WD1409



WD1410

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants				
										steel	inox	wood	HDPE	HPL		
WD1409	-	460 cm	355 cm	340 cm	3 - 14	19	38,3 m <sup>2</sup>	190 cm	150 cm	90, 150 cm	-	-	●	●	●	●
WD1410	-	405 cm	335 cm	370 cm	3 - 14	23	41,2 m <sup>2</sup>	220 cm	150 cm	150, 180 cm	-	-	●	●	●	●



WD1449



WD1412



WD1411




WD1454



WD1413



WD1450

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1449	-	322 cm	278 cm	367 cm	3 - 14	16	28,5 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-	●	● ● ● ● ●
WD1412	●	565 cm	424 cm	367 cm	3 - 14	31	50,2 m <sup>2</sup>	210 cm	90, 180 cm	90, 120, 150, 180 cm	-	-	●	● ● ● ● ●
WD1411	●	563 cm	357 cm	367 cm	3 - 14	30	47,4 m <sup>2</sup>	180 cm	150 cm	120, 150, 180 cm	-	-	●	● ● ● ● ●
WD1454	-	910 cm	405 cm	410 cm	3 - 14	30	55,3 m <sup>2</sup>	220 cm	210 cm	120, 150, 180, 210 cm	-	-	●	● ● ● ● ●
WD1413	●	627 cm	319 cm	340 cm	3 - 14	51	56,2 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-	●	● ● ● ● ●
WD1450	●	535 cm	510 cm	235 cm	7 - 16	31	45,3 m <sup>2</sup>	220 cm	120, 150 cm	120, 150 cm	-	-	●	● ● ● ● ●





WD1439



WD1452



WD1453



WD1451

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants				
											steel	inox	wood	HDPE	HPL		
WD1439	-	306 cm	230 cm	230 cm	3 - 14	17	29,9 m <sup>2</sup>	220 cm	-	120, 150 cm	-	-	●	●	●	●	●
WD1452	-	528 cm	428 cm	260 cm	7 - 16	31	47,8 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-	●	●	●	●	●
WD1453	-	686 cm	547 cm	230 cm	4 - 16	36	54,8 m <sup>2</sup>	200 cm	-	150 cm	-	-	●	●	●	●	●
WD1451	-	427 cm	206 cm	260 cm	7 - 16	14	33,2 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-	●	●	●	●	●





WD1415



WD1414



WD1433




WD1580




WD1581



WD1418-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1433	●	300 cm	275 cm	250 cm	1 - 8	14	25,1 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	●●●●●
WD1414	●	395 cm	330 cm	260 cm	3 - 14	21	31,4 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●●●●●
WD1415	●	615 cm	395 cm	290 cm	3 - 14	34	47,7 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-	●	●●●●●
WD1580	●	1285 cm	740 cm	490 cm	3 - 14	82	98,3 m <sup>2</sup>	180 cm	120, 150, 180 cm	120, 150, 180 cm	-	-	●	●●●●●
WD1581	●	1100 cm	525 cm	485 cm	3 - 14	52	74,6 m <sup>2</sup>	150 cm	90, 150 cm	35, 90, 120, 150 cm	-	-	●	●●●●●
WD1418-1	●	1575 cm	805 cm	490 cm	3 - 14	120	134,5 m <sup>2</sup>	180 cm	120, 150, 180* cm	120, 150, 180 cm	-	-	●	●●●●●







WD1430



WD1431



WD1432



WD1550



WD1551



WD1552

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	inox	wood	HDPE	HPL
WD1430	●	154 cm	99 cm	120 cm	1 - 8	9	16,2 m <sup>2</sup>	110 cm	-	-	-	-	●	-	-
WD1431	●	154 cm	99 cm	120 cm	1 - 8	11	16,2 m <sup>2</sup>	110 cm	-	-	-	-	●	-	-
WD1432	●	154 cm	104 cm	120 cm	1 - 8	9	16,2 m <sup>2</sup>	110 cm	-	-	-	-	●	-	-
WD1550	●	386 cm	336 cm	260 cm	3 - 12	28	33,3 m <sup>2</sup>	120 cm	90 cm	40, 90, 120 cm	-	-	●	●	-
WD1551	●	292 cm	220 cm	214 cm	1 - 8	12	25,3 m <sup>2</sup>	< 60 cm	59 cm	59 cm	-	-	●	●	-
WD1552	●	244 cm	100 cm	184 cm	1 - 8	10	19,9 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●	-

Characteristics of the WOODEN series:



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel elements



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels



PE tube slides

Colour & material options\*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C3 HPL - RAL5024
- C9 HPL - wood pattern
- C11E HDPE - multicolour



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep



# solo.



New!

## Fun for youngsters!

The SOLO series is a paradise for preschoolers, which is ruled by sand, water, sound and movement.

Free fun develops natural creativity of the child, encourages to do experiments and triggers the desire to cooperate with other children.

The richness of colours, manual and sound elements, along with educational panels: all these elements comprehensively stimulate the senses and the intellectual development of child.



0826



0810



0811



0812




0813



0820



0825

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0826	-	275 cm	60 cm	165 cm	3 - 12	5	18,4 m <sup>2</sup>	90 cm	●	-	-	●	-
0810	-	168 cm	94 cm	166 cm	3 - 12	5	16,5 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ●
0811	-	143 cm	92 cm	74 cm	3 - 12	4	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ●
0812	-	130 cm	89 cm	96 cm	3 - 12	4	14,8 m <sup>2</sup>	90 cm	●	-	-	●	● ● ● ●
0813	-	143 cm	94 cm	166 cm	3 - 12	6	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ●
0820	●	170 cm	100 cm	100 cm	3 - 12	5	17,0 m <sup>2</sup>	< 60 cm	●	-	-	● ●	-
0825	-	734 cm	94 cm	166 cm	3 - 12	20	38,6 m <sup>2</sup>	90 cm	●	-	-	●	● ● ● ●




0824



0841




0822





0821



0840

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0824	●	188 cm	141 cm	155 cm	1 - 8	13	17,6 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0841	●	378 cm	199 cm	144 cm	1 - 8	13	29,4 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0822	●	204 cm	100 cm	73 cm	1 - 8	3	18,5 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0840	●	128 cm	76 cm	119 cm	1 - 8	7	14,2 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0821	-	173 cm	55 cm	133 cm	1 - 8	3	15,0 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-




Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction		Panels variants		
												steel	inox	wood	HDPE	HPL
0830	-	177 cm	67 cm	175 cm	3 - 12	3	15,2 m <sup>2</sup>	90 cm	90 cm	135 cm	90 cm	●	-	-	●●●●	-
0831	-	218 cm	67 cm	205 cm	3 - 14	4	16,3 m <sup>2</sup>	120 cm	120 cm	180 cm	120 cm	●	-	-	●●●●	-
0832	-	270 cm	67 cm	235 cm	3 - 14	4	17,6 m <sup>2</sup>	150 cm	150 cm	240 cm	150 cm	●	-	-	●●●●	-
WD1440	-	168 cm	84 cm	141 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1441	-	203 cm	84 cm	171 cm	1 - 8	3	16,7 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1442	-	239 cm	84 cm	201 cm	3 - 14	3	17,9 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1443	-	285 cm	84 cm	231 cm	3 - 14	3	19,5 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1444	-	321 cm	84 cm	261 cm	3 - 14	3	20,8 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1445	-	358 cm	84 cm	291 cm	3 - 14	3	22,1 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1446	-	515 cm	84 cm	380 cm	3 - 14	3	27,0 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1447	-	635 cm	84 cm	480 cm	3 - 14	3	31,1 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1448	-	755 cm	84 cm	581 cm	3 - 14	3	35,2 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	-	-	●	●●●●●	●●●●●



1751

New!



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction					Panels variants	
												steel	inox	wood	HDPE	HPL		
1751	-	165 cm	85 cm	150 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	●	-	-	●	-		
1752	-	205 cm	85 cm	180 cm	1 - 8	3	16,8 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	●	-	-	●	-		
1753	-	240 cm	85 cm	215 cm	3 - 14	3	17,7 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	●	-	-	●	-		
1754	-	285 cm	85 cm	240 cm	3 - 14	3	18,8 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	●	-	-	●	-		
1755	-	320 cm	85 cm	270 cm	3 - 14	3	19,7 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	●	-	-	●	-		
1756	-	355 cm	85 cm	300 cm	3 - 14	3	20,6 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	●	-	-	●	-		
1757	-	510 cm	85 cm	385 cm	3 - 14	3	24,4 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	●	-	-	●	-		
1758	-	630 cm	85 cm	485 cm	3 - 14	3	27,4 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	●	-	-	●	-		
1759	-	750 cm	85 cm	585 cm	3 - 14	3	30,4 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	●	-	-	●	-		







0801-1



0802-1
























0800

WD1416



WD1482

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0801-1	-	178 cm	178 cm	30 cm	1 - 12	11	20,9 m <sup>2</sup>	< 60 cm	●	-	-		  
0802-1	-	323 cm	287 cm	43 cm	1 - 12	18	29,1 m <sup>2</sup>	< 60 cm	●	-	-		  
0800	●	30 cm	30 cm	40 cm	1 - 12	1	8,7 m <sup>2</sup>	< 60 cm	●	-	-		  
WD1416	-	415 cm	165 cm	140 cm	1 - 12	11	27,0 m <sup>2</sup>	< 60 cm	-	-	●		  
WD1482	●	139 cm	139 cm	78 cm	1 - 12	8	17,3 m <sup>2</sup>	< 60 cm	-	-	●		  

**MODULAR SYSTEM**



WD1458



WD1429



WD1457-1



WD1455



WD1456

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1458	-	258 cm	258 cm	28 cm	1 - 12	16	29,2 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ●	
WD1429	-	254 cm	221 cm	28 cm	1 - 12	9	21,8 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ●	
WD1457-1	-	380 cm	210 cm	35 cm	1 - 12	11	32,7 m <sup>2</sup>	< 60 cm	-	-	● ● ●	-	
WD1455	●	348 cm	171 cm	191 cm	1 - 12	23	28,6 m <sup>2</sup>	< 60 cm	-	-	● ● ●	● ● ● ●	
WD1456	●	145 cm	62 cm	170 cm	1 - 12	5	13,7 m <sup>2</sup>	< 60 cm	-	-	● ● ●	-	



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1427	●	167 cm	97 cm	114 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1467	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1468	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1469	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1470	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1471	●	84 cm	12 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1472	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	● ●	-	





WD1473



WD1474



WD1475



WD1476



WD1477



WD1478



WD1560



WD1561



WD1562




WD1563



WD1564



WD1565

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1473	●	84 cm	21 cm	130 cm	1 - 8	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1474	●	84 cm	21 cm	130 cm	1 - 8	2	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1475	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1476	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1477	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1478	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-	●
WD1560	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1561	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1562	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1563	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1564	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1565	●	84 cm	10 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●





0122



0120



0121



0806-1



0808-1




0809



0804



0685

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels			
									steel	inox	wood	HDPE	HPL		
0122	●	144 cm	77 cm	97 cm	1 - 12	4	13,2 m <sup>2</sup>	< 60 cm	●	●	-	●	●	●	●
0120	●	76 cm	15 cm	97 cm	1 - 12	2	9,9 m <sup>2</sup>	< 60 cm	●	●	-	●	-	●	-
0121	●	80 cm	78 cm	97 cm	1 - 12	3	11,6 m <sup>2</sup>	< 60 cm	●	●	-	●	●	●	●
0806-1	●	90 cm	15 cm	165 cm	3 - 12	2	10,3 m <sup>2</sup>	< 60 cm	●	-	-	●	-	●	-
0808-1	●	35 cm	17 cm	100 cm	3 - 12	2	8,7 m <sup>2</sup>	< 60 cm	-	●	-	●	-	●	-
0804	●	120 cm	17 cm	130 cm	3 - 12	2	11,4 m <sup>2</sup>	< 60 cm	●	-	-	-	-	●	-
0685	-	84 cm	79 cm	123 cm	3 - 12	2	11,5 m <sup>2</sup>	< 60 cm	-	●	-	●	-	-	-
0809	-	81 cm	81 cm	300 cm	3 - 12	4	11,7 m <sup>2</sup>	< 60 cm	●	-	-	-	-	-	-







1760



1761



1762



1763



1770



1771



1772



1720



1722



1721

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
1760	●	81 cm	14 cm	134 cm	1 - 8	2	10,0m <sup>2</sup>	< 60 cm	●	●	-	●●●●●	-
1761	●	81 cm	15 cm	134 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●	-
1762	●	81 cm	12 cm	134 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●	-
1763	●	84 cm	25 cm	147 cm	1 - 8	2	10,6 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●	-
1770	●	81 cm	38 cm	134 cm	1 - 8	1	10,9 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●	-
1771	●	130 cm	17 cm	116 cm	1 - 8	2	11,7 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●	-
1772	●	136 cm	77 cm	206 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●	-
1720	●	240 cm	77 cm	206 cm	1 - 8	7	16,2 m <sup>2</sup>	67 cm	●	●	-	●●●●●	-
1721	●	349 cm	166 cm	206 cm	1 - 8	10	21,6 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●	-
1722	●	263 cm	112 cm	206 cm	1 - 8	6	20,2 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●	-





WP2850



WP2853



WP2863




WP2855



WP2858

**MODULAR SYSTEM**



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
WP2850	●	225 cm	30 cm	115 cm	1+	7	15,0 m <sup>2</sup>	< 60 cm
WP2853	●	175 cm	90 cm	115 cm	1+	9	15,3 m <sup>2</sup>	< 60 cm
WP2855	●	260 cm	100 cm	160 cm	1+	14	19,6 m <sup>2</sup>	< 60 cm
WP2858	●	240 cm	205 cm	115 cm	1+	13	20,4 m <sup>2</sup>	< 60 cm
WP2863	●	325 cm	250 cm	125 cm	1+	20	26,5 m <sup>2</sup>	< 60 cm



0816



0817



0823

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0816	-	94 cm	87 cm	< 60 cm	3 - 12	3	11,9 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	●●●●
0817	-	120 cm	50 cm	59 cm	3 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	●●●●
0823	●	100 cm	395 cm	160 cm	3 - 16	2	19,9 m <sup>2</sup>	99 cm	-	●	-	-	-

Characteristics of the SOLO series:

- Stainless steel construction or elements
- Galvanised steel construction or elements
- Wood construction
- Galvanised anchors
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels

Colour & material options\*:

- Colour (panels):
  - C11E HDPE - multicolour
  - HDPE RAL6024 / ● HPL RAL6000
  - HDPE RAL5015 / ● HPL RAL5024
  - C12E HDPE - grey/black
  - HDPE RAL3020 / ● HPL RAL3000
  - HDPE RAL8024 / ● HPL wood pattern
- Construction:
  - Painted steel
  - Stainless steel
- Platforms:
  - HEXA HPL
  - HEXA plywood
- Slides:
  - Stainless steel
  - Fiberglass
- Anchoring:
  - Surface
  - Deep

# minisweet

## Colourful series for the youngest

The MINISWEET series consists of playground equipment designed for the youngest children and preschoolers.

Friendly houses, tunnels and slides are an ideal place to have fun together. This is also where the child learns the principles of functioning in a group while perfecting its language skills.

Minisweet devices encourage children to exercise and support the development of key mobility aptitudes. They allow every toddler to enjoy joyful and carefree fun.



0106-1C1



0100C1



0103C1



0101-1C1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels			
											steel	inox	wood	HDPE	HPL		
0106-1C1	●	315 cm	170 cm	220 cm	1 - 8	12	23,7 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm	●	●	-	●	●	●	●
0100C1	●	100 cm	100 cm	170 cm	1 - 8	3	14,1 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	-	●	●	●	●
0103C1	●	255 cm	240 cm	170 cm	1 - 8	14	23,2 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	-	●	●	●	●
0101-1C1	●	160 cm	100 cm	170 cm	1 - 8	7	15,6 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	-	●	●	●	●



0108-2C2



0102C2



0107C3










0105C3



0109-1C9



0104C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
0108-2C2		305 cm	160 cm	170 cm	1 - 8	19	25,1 m <sup>2</sup>	< 60 cm	-	-	  -	    	   		
0102C2		165 cm	160 cm	170 cm	1 - 8	12	18,1 m <sup>2</sup>	< 60 cm	-	12 cm	  -	    	   		
0107C3		320 cm	245 cm	220 cm	1 - 8	17	26,2 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm	  -	    	   		
0105C3	-	175 cm	160 cm	220 cm	1 - 8	7	20,0 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	  -	    	   		
0109-1C9	-	320 cm	370 cm	220 cm	1 - 8	21	33,0 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm	  -	    	   		
0104C9		220 cm	100 cm	220 cm	1 - 8	6	18,1 m <sup>2</sup>	< 60 cm	59 cm	59 cm	  -	    	   		







0110



0111



0112



0114



0113

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels		
										steel	inox	wood	HDPE	HPL	
0110	260 cm	250 cm	250 cm	1 - 8	15	27,2 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	●	●	-	●	●	●
0111	255 cm	200 cm	240 cm	1 - 8	11	21,8 m <sup>2</sup>	< 60 cm	59 cm	59 cm	●	●	-	●	●	●
0112	260 cm	160 cm	250 cm	1 - 8	11	20,3 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	●	●	-	●	●	●
0113	410 cm	290 cm	270 cm	1 - 8	27	30,7 m <sup>2</sup>	90 cm	59 cm	59, 90 cm	●	●	-	●	●	●
0114	335 cm	350 cm	250 cm	1 - 8	26	35,3 m <sup>2</sup>	90 cm	59 cm	59, 90 cm	●	●	-	●	●	●

Characteristics of the MINISWEET series:



Stainless steel construction or elements



Galvanised steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options\*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C11E HDPE - multicolour
- C3 HPL - RAL5024
- C9 HPL - wood pattern



Construction:

- Painted steel RAL7040
- Stainless steel



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep

# steel!

## Classic tower sets

The STEEL series consists of classic structures that offer unlimited fun for older children. The sets of equipment from this series can be perfectly adapted to the needs of children and the available space.

Rows of towers connected by various attractive movable elements make for a great training ground for motor coordination. They allow a large group of children to play together at the same time, which helps to establish relationships and also teaches teamwork as well as healthy competition.



0204C9



0814C9



0815-2C9



0201-1C9



0200C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels				
											steel	inox	wood	HDPE	HPL			
0204C9	-	455 cm	404 cm	321 cm	3 - 14	14	38,2 m <sup>2</sup>	180 cm	120 cm	120 cm	●	-	-	●	●	●	●	●
0814C9	●	100 cm	97 cm	164 cm	1 - 8	4	14,0 m <sup>2</sup>	< 60 cm	-	10 cm	●	-	-	●	●	●	●	●
0815-2C9	●	175 cm	99 cm	164 cm	1 - 8	5	16,9 m <sup>2</sup>	< 60 cm	-	10 cm	●	-	-	●	●	●	●	●
0201-1C9	-	272 cm	166 cm	321 cm	3 - 14	5	21,5 m <sup>2</sup>	120 cm	120 cm	120 cm	●	-	-	●	●	●	●	●
0200C9	-	209 cm	162 cm	176 cm	3 - 14	7	19,7 m <sup>2</sup>	90 cm	90 cm	90 cm	●	-	-	●	●	●	●	●



0212C1



0202-1C1



0203-1C1



0205-1C2



0213C2



0207C2



0208C3



0209C3



0206C3

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels			
										steel	inox	wood	HDPE	HPL		
0212C1	- 283 cm	185 cm	291 cm	3 - 14	8	22,6 m <sup>2</sup>	90 cm	90 cm	90 cm	●	-	-	●	●	●	●
0202-1C1	- 345 cm	274 cm	321 cm	3 - 14	8	28,4 m <sup>2</sup>	120 cm	120 cm	120 cm	●	-	-	●	●	●	●
0203-1C1	- 345 cm	361 cm	321 cm	3 - 14	14	35,0 m <sup>2</sup>	120 cm	120 cm	120 cm	●	-	-	●	●	●	●
0205-1C2	- 540 cm	365 cm	351 cm	3 - 14	16	44,4 m <sup>2</sup>	150 cm	120, 150 cm	120, 150 cm	●	-	-	●	●	●	●
0213C2	- 330 cm	400 cm	292 cm	3 - 14	17	36,6 m <sup>2</sup>	90 cm	90 cm	90 cm	●	-	-	●	●	●	●
0207C2	- 440 cm	470 cm	321 cm	3 - 14	18	44,1 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	●	-	-	●	●	●	●
0208C3	- 495 cm	470 cm	351 cm	3 - 14	30	51,0 m <sup>2</sup>	150 cm	90, 150 cm	90, 150 cm	●	-	-	●	●	●	●
0209C3	● 633 cm	556 cm	352 cm	3 - 14	25	59,6 m <sup>2</sup>	150 cm	120, 150 cm	120, 150 cm	●	-	-	●	●	●	●
0206C3	- 537 cm	457 cm	321 cm	3 - 14	23	55,9 m <sup>2</sup>	210 cm	-	120 cm	●	-	-	●	●	●	●







0211-1C3



0214C3



0210-1C3

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
0211-1C3		1145 cm	910 cm	409 cm	3 - 14	78	160,0 m <sup>2</sup>	210 cm	90, 180, 210 cm	35, 40, 59, 90, 120, 150, 180, 210 cm		-	-		
0214C3	-	809 cm	725 cm	322 cm	3 - 14	45	90,4 m <sup>2</sup>	210 cm	120, 150 cm	120, 150 cm		-	-		
0210-1C3		980 cm	932 cm	351 cm	3 - 14	55	107,6 m <sup>2</sup>	180 cm	90, 120, 150 cm	35, 40, 90, 120, 150 cm		-	-		

Characteristics of the STEEL series:



Galvanised steel construction or elements



HPL HEXA platforms



HDPE panels



Stainless steel elements



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options\* :



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C11E HDPE - multicolour
- C3 HPL - RAL5024
- C9 HPL - wood pattern



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep



## Unique houses

The CROOC series is all about beautiful, unique designs, vibrant colours and multi-tower playground sets that allow large group to have fun together.

Fairytale houses encourage children to engage in role-playing activities with their fellows. Element merging platforms, ladders, climbing walls and slides of different difficulty levels comprehensively stimulate the proper motor development of each child.

This series guarantees that the child's energy is channeled effectively.



0305



0310



0306



0300S1



0303




0304



0300

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	HPL
0305	●	324 cm	292 cm	250 cm	3 - 12	15	30,3 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	-	●	-	-	●	●
0310	-	201 cm	105 cm	122 cm	5 - 14	8	18,1 m <sup>2</sup>	120 cm	-	-	●	●	-	-	●	●
0306	●	400 cm	322 cm	284 cm	3 - 12	16	32,3 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	●	-	-	●	●
0300S1	●	450 cm	370 cm	340 cm	5 - 14	19	36,4 m <sup>2</sup>	180 cm	180 cm	90, 180 cm	-	●	-	-	●	●
0303	●	419 cm	330 cm	331 cm	3 - 14	15	33,5 m <sup>2</sup>	180 cm	90, 180 cm	90, 180 cm	-	●	-	-	●	●
0304	-	254 cm	258 cm	244 cm	3 - 12	9	24,0 m <sup>2</sup>	90 cm	90 cm	90 cm	-	●	-	-	●	●
0300	●	630 cm	370 cm	340 cm	5 - 14	19	42,5 m <sup>2</sup>	180 cm	180* cm	90, 180 cm	-	●	-	-	●	●



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels		
											steel	inox	wood	HDPE	HPL	
0301S1	●	775 cm	945 cm	370 cm	5 - 14	43	70,0 m <sup>2</sup>	210 cm	180, 210 cm	90, 120, 180, 210 cm	-	●	-	-	●	●
0301	●	965 cm	945 cm	370 cm	5 - 14	43	76,2 m <sup>2</sup>	210 cm	180, 210* cm	90, 120, 180, 210 cm	-	●	-	-	●	●






Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	HPL
0302	●	1460 cm	1060 cm	370 cm	5 - 14	64	112,4 m <sup>2</sup>	210 cm	180, 210* cm	90, 120, 180, 210 cm	-	●	-	-	●	●
0302S1	●	1120 cm	945 cm	370 cm	5 - 14	64	100,5 m <sup>2</sup>	210 cm	180, 210 cm	90, 120, 180, 210 cm	-	●	-	-	●	●









0330

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
0330		1435 cm	675 cm	620 cm	5 - 14	110	100,9 m <sup>2</sup>	210 cm	210* cm	90, 110, 120, 150, 180, 210 cm	-		-	-	

Characteristics of the CROOC series:



Stainless steel construction or elements



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels and platforms



Stainless steel slides



Stainless steel tube slides



Durable connectors



Ropes with steel core



Protective tops

Colour & material options\*:



Colour (panels):

- CSH HPL - multicolour
- C9 HPL - wood pattern



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE



Anchoring:

- Surface
- Deep



# climbo

## Climb, crawl and pull-up

The CLIMBOO series comprises equipment that develops the fitness and coordination of older children, increasing their faith in their own abilities.

Various climbing ladders and walls with a varying level of difficulty strengthen the muscles and teach the child to concentrate and maintain balance.

This series is the perfect place to organise competitive games where exciting physical challenges are coupled with maximum safety.



WD1420



WD1464



WD1428



WD1426




WD1417



WD1419



WD1466

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
WD1420	-	290 cm	255 cm	200 cm	3 - 14	18	31,8 m <sup>2</sup>	190 cm	-	-	-	●	● / ●	● ● ● ●
WD1464	-	158 cm	10 cm	46 cm	7 - 16	4	12,2 m <sup>2</sup>	< 60 cm	-	-	-	●	-	-
WD1428	-	208 cm	10 cm	131 cm	3 - 14	4	13,8 m <sup>2</sup>	122 cm	-	-	-	●	-	-
WD1426	-	220 cm	87 cm	170 cm	3 - 14	4	18,2 m <sup>2</sup>	99 cm	-	-	-	●	-	-
WD1417	-	162 cm	91 cm	230 cm	3 - 14	9	22,1 m <sup>2</sup>	220 cm	-	-	-	●	● / ●	● ● ● ●
WD1419	-	310 cm	306 cm	230 cm	3 - 14	11	31,2 m <sup>2</sup>	220 cm	-	-	-	●	● / ●	● ● ● ●
WD1466	-	232 cm	158 cm	200 cm	7 - 16	19	25,3 m <sup>2</sup>	190 cm	-	-	-	●	-	-



WD1465



WD1487




WD1460



WD1462



WD1459

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
WD1465	-	158 cm	84 cm	200 cm	7 - 16	6	20,2 m <sup>2</sup>	190 cm	-	-	-	●	-	-
WD1487	-	290 cm	255 cm	230 cm	7 - 16	18	30,7 m <sup>2</sup>	220 cm	-	-	-	●	-	-
WD1460	-	232 cm	87 cm	110 cm	1 - 8	7	16,7 m <sup>2</sup>	99 cm	-	-	-	●	● / ●	● ● ● ●
WD1459	-	102 cm	84 cm	104 cm	1 - 12	1	13,5 m <sup>2</sup>	< 60 cm	-	-	-	●	● / ●	-
WD1462	-	240 cm	233 cm	230 cm	3 - 14	23	33,9 m <sup>2</sup>	220 cm	120 cm	-	-	●	● / ●	● ● ● ●



WD1461







WD1463

Product code	Image	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
WD1461	-	535 cm	306 cm	140 cm	3 - 14	28	44,7 m <sup>2</sup>	< 60 cm	29, 59 cm	-	-	■	● / ● ● ● ● ● ●	● ● ● ● ● ●
WD1463	-	536 cm	316 cm	230 cm	7 - 16	52	60,4 m <sup>2</sup>	220 cm	120, 150 cm	-	-	■	● / ● ●	● ● ● ● ● ●







Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0411	-	250 cm	10 cm	30 cm	3 - 12	5	15,1 m <sup>2</sup>	< 60 cm	29 cm	●	-	-	-	-
0410	-	230 cm	115 cm	59 cm	3 - 14	5	18,1 m <sup>2</sup>	< 60 cm	59 cm	●	-	-	-	-
0409	-	210 cm	125 cm	80 cm	3 - 14	9	19,7 m <sup>2</sup>	80 cm	59, 80 cm	●	-	-	-	-
0499	-	135 cm	185 cm	45 cm	3 - 14	4	19,2 m <sup>2</sup>	< 60 cm	-	-	-	●	● / -	● ●
0404-1	-	241 cm	88 cm	121 cm	3 - 14	3	19,1 m <sup>2</sup>	< 60 cm	34 cm	● ●	-	-	-	● ● ● ●
0401	-	176 cm	92 cm	194 cm	3 - 14	8	19,8 m <sup>2</sup>	180 cm	-	● ●	-	-	-	● ● ● ●
0402	-	256 cm	172 cm	194 cm	3 - 14	13	26,1 m <sup>2</sup>	180 cm	-	● ●	-	-	-	● ● ● ●
0403	-	350 cm	311 cm	194 cm	3 - 14	8	30,0 m <sup>2</sup>	180 cm	-	● ●	-	-	-	● ● ● ●
0405-1	-	474 cm	88 cm	195 cm	3 - 14	10	31,8 m <sup>2</sup>	194 cm	-	● ●	-	-	-	● ● ● ●
0406	-	241 cm	88 cm	195 cm	3 - 14	6	24,2 m <sup>2</sup>	194 cm	-	● ●	-	-	-	-
0407	-	302 cm	8 cm	165 cm	3 - 14	6	16,6 m <sup>2</sup>	150 cm	-	● ●	-	-	-	-
0408	-	169 cm	60 cm	135 cm	3 - 14	6	14,9 m <sup>2</sup>	120 cm	-	● ●	-	-	-	-



New!




0498



1750



1714



1716

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0498	●	160 cm	160 cm	55 cm	4+	6	19,2 m <sup>2</sup>	< 60 cm	-	●	-	-	-	●
1750	-	229 cm	155 cm	166 cm	3 - 14	7	16,2 m <sup>2</sup>	147 cm	-	● ● ● ● ●	●	-	-	-
1714	-	260 cm	68 cm	289 cm	3 - 14	4	22,0 m <sup>2</sup>	200 cm	-	●	●	-	● ● ● ● ● / -	●
1716	-	453 cm	187 cm	241 cm	3 - 14	17	39,0 m <sup>2</sup>	225 cm	-	●	●	-	-	●

























0412




0413-1



0414-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0412		242 cm	88 cm	121 cm	3 - 14	3	17,2 m <sup>2</sup>	< 60 cm	35 cm		-	-	 /    	-
0413-1	-	482 cm	401 cm	121 cm	3 - 14	18	46,4 m <sup>2</sup>	< 60 cm	35 cm	 	-	-		   
0414-1	-	594 cm	401 cm	121 cm	3 - 14	29	56,8 m <sup>2</sup>	< 60 cm	35 cm	 	-	-		   





0419-1




0418-1




0417-1



0416-1



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0419-1	-	700 cm	700 cm	450 cm	3 - 14	44	78,5 m <sup>2</sup>	100 cm	-	●	-	-	-	● ● ● ● ●
0418-1	-	305 cm	305 cm	300 cm	3 - 14	14	34,7 m <sup>2</sup>	99 cm	-	●	-	-	-	● ● ● ● ●
0417-1	-	260 cm	260 cm	250 cm	3 - 14	10	29,6 m <sup>2</sup>	99 cm	-	●	-	-	-	● ● ● ● ●
0416-1	-	170 cm	170 cm	250 cm	3 - 14	4	17,3 m <sup>2</sup>	70 cm	-	●	-	-	-	● ● ● ● ●







0415



0420



0421



0420H



0421H

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction		Colour variants	
									steel	inox wood	HDPE/ HPL	ropes
0415	2255 cm	326 cm	346 cm	5 - 14	1	80,1 m <sup>2</sup>	140 cm	59 cm	● ●	-	-	-
0420	2445 cm	312 cm	395 cm	5 - 14	1	84,4 m <sup>2</sup>	175 cm	98 cm	● ● ● ● ● ●	-	-	-
0421	2417 cm	298 cm	395 cm	5 - 14	2	133,4 m <sup>2</sup>	175 cm	98 cm	● ● ● ● ● ●	-	-	-
0420H	2445 cm	312 cm	395 cm	5 - 14	1	84,4 m <sup>2</sup>	85 cm	-	● ● ● ● ● ●	-	-	-
0421H	2417 cm	250 cm	395 cm	5 - 14	2	133,4 m <sup>2</sup>	85 cm	-	● ● ● ● ● ●	-	-	-

Characteristics of the CLIMBOO series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options\*:



Colour (panels & construction parts):

- C11E HDPE - multicolour    ● C12E HDPE - grey/black    ● CASTILLO
- C1 HPL - RAL6000    ● C2 HPL - RAL3000    ● JUNGLE
- C3 HPL - RAL5024    ● C9 HPL - wood pattern    ● SPACE



Colour (ropes):

- L5 - blue    ● L7 - red
- L6 - black    ● L8 - beige



Platforms:

- HEXA HPL
- HEXA plywood



Anchoring:

- Surface
- Deep

# nettix'

## Ropes, ladders and spinners


The NETTIX series comprises modern equipment in the form of ladders and rope crossings, which constitute a combination of carefree fun and effective fitness training.

Rope climbing stimulates the sense of balance, strengthens the muscles and improves the child's dexterity. It also encourages children to compete with each other.

This series is a creative adventure among ropes, where the boundaries are set only by the children's imagination.



1632



1638



1601



1602



1603



1604

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1632	-	365 cm	260 cm	225 cm	4 - 14	7	26,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1638	-	925 cm	260 cm	225 cm	4 - 14	15	51,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1601	-	336 cm	44 cm	223 cm	4 - 14	10	19,9 m <sup>2</sup>	120 cm	●	-	-	● ● ● ●
1602	-	336 cm	72 cm	223 cm	4 - 14	5	21,8 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1603	-	336 cm	60 cm	223 cm	4 - 14	1	21,0 m <sup>2</sup>	115 cm	●	-	-	● ● ● ●
1604	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m <sup>2</sup>	120 cm	●	-	-	● ● ● ●



1605




1606



1607



1608

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1605	-	336 cm	43 cm	223 cm	4 - 14	4	27,2 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1606	-	336 cm	11 cm	223 cm	4 - 14	5	17,8 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1607	-	336 cm	11 cm	223 cm	4 - 14	5	24,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1608	-	336 cm	11 cm	223 cm	4 - 14	4	17,8 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●





1609



1635



1630



1610



1636



1631



1633




1634



1637

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1609	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1635	-	258 cm	224 cm	223 cm	4 - 14	10	23,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1630	-	725 cm	180 cm	225 cm	4 - 14	14	41,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1610	-	336 cm	50 cm	223 cm	4 - 14	3	20,3 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1636	-	260 cm	225 cm	225 cm	4 - 14	8	22,2 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1631	-	650 cm	215 cm	225 cm	4 - 14	14	40,0 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1633	-	385 cm	365 cm	225 cm	4 - 14	3	32,9 m <sup>2</sup>	70 cm	●	-	-	-
1634	-	365 cm	260 cm	225 cm	4 - 14	7	25,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1637	-	722 cm	625 cm	223 cm	4 - 14	16	51,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●




1639



1640



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1639	-	1109 cm	961 cm	223 cm	4 - 14	49	97,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1640	-	914 cm	907 cm	223 cm	4 - 14	44	112,0 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●

Characteristics of the NETTIX series:



Galvanised steel construction



Stainless steel elements



HPL HEXA platforms



Ropes with steel core



Spinning elements



Durable connectors



Stainless steel chains



Protective tops

Colour & material options\*:



Colour (ropes):

- L5 - blue      ● L7 - red
- L6 - black    ● L8 - beige

# spring

## Rocking and swaying

The SPRING series equals pure energy on springs. It satisfies the child's natural need for unrestrained and carefree swinging.

Colourful vehicles and happy animals encourage kids to jump energetically and sway in the rhythm of body movements.

The spring riders, which are so beloved by children, allow for joyful fun which also carries great benefits for kids' development.

New!



0673



0651



0652



0653



0655



0654













0602



0603



0604-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0673	-	150 cm	85 cm	115 cm	1 - 12	4	15,4 m <sup>2</sup>	< 60 cm		-
0651	-	74 cm	22 cm	79 cm	1 - 12	1	10,1 m <sup>2</sup>	< 60 cm		-
0652	-	71 cm	22 cm	78 cm	1 - 12	1	10,0 m <sup>2</sup>	< 60 cm		-
0653	-	72 cm	22 cm	80 cm	1 - 12	1	10,0 m <sup>2</sup>	< 60 cm		-
0655	-	72 cm	22 cm	80 cm	1 - 12	1	10,1 m <sup>2</sup>	< 60 cm		-
0654	-	80 cm	22 cm	78 cm	1 - 12	1	10,3 m <sup>2</sup>	< 60 cm		-
0602	-	82 cm	21 cm	79 cm	1 - 12	1	10,4 m <sup>2</sup>	< 60 cm		-
0603	-	80 cm	21 cm	75 cm	1 - 12	1	10,3 m <sup>2</sup>	< 60 cm		-
0604-1	-	78 cm	21 cm	77 cm	1 - 12	1	10,2 m <sup>2</sup>	< 60 cm		-



0606



0623



0616



0609



0615-1



0608-2













0607-1



0633



0622

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0606	-	80 cm	43 cm	86 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0623	-	79 cm	78 cm	78 cm	1 - 12	2	12,4 m <sup>2</sup>	< 60 cm		-
0616	-	85 cm	43 cm	74 cm	1 - 12	1	11,3 m <sup>2</sup>	< 60 cm		-
0609	-	80 cm	43 cm	75 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0615-1	-	62 cm	43 cm	80 cm	1 - 12	1	10,5 m <sup>2</sup>	< 60 cm		-
0608-2	-	70 cm	45 cm	80 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm		-
0607-1	-	74 cm	43 cm	81 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm		-
0633	-	73 cm	43 cm	75 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm		-
0622	-	79 cm	69 cm	84 cm	1 - 12	2	12,0 m <sup>2</sup>	< 60 cm		-





0632



0631



0630



0600-1












0601-1



0613-1



0611-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0632	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0631	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0630		110 cm	82 cm	82 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm		-
0600-1	-	48 cm	29 cm	84 cm	1 - 12	1	9,5 m <sup>2</sup>	< 60 cm		-
0601-1	-	140 cm	29 cm	84 cm	1 - 12	2	12,6 m <sup>2</sup>	< 60 cm		-
0613-1	-	140 cm	120 cm	78 cm	1 - 12	4	14,3 m <sup>2</sup>	< 60 cm		-
0611-1	-	110 cm	110 cm	54 cm	1 - 12	4	12,5 m <sup>2</sup>	< 60 cm		-



0674



0672

New!



0626



0682

0610



0670



0660











0671





RB1363

RB1364

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0674	-	265 cm	120 cm	105 cm	1 - 12	8	21,8 m <sup>2</sup>	< 60 cm		-
0672	-	115 cm	80 cm	90 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm		-
0682	-	165 cm	95 cm	140 cm	1 - 12	2	16,4 m <sup>2</sup>	< 60 cm		-
0626	-	124 cm	21 cm	101 cm	1 - 12	2	11,7 m <sup>2</sup>	< 60 cm		-
0610	-	160 cm	21 cm	86 cm	1 - 12	2	12,9 m <sup>2</sup>	< 60 cm		-
0660	-	206 cm	181 cm	87 cm	1 - 12	6	18,8 m <sup>2</sup>	< 60 cm		-
0670	-	333 cm	25 cm	85 cm	1 - 12	4	18,8 m <sup>2</sup>	< 60 cm		-
0671	-	260 cm	116 cm	89 cm	3 - 12	8	16,0 m <sup>2</sup>	< 60 cm		-



0627

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0627	-	493 cm	431 cm	45 cm	3 - 14	27	45,4 m <sup>2</sup>	< 60 cm		-





0612-1



0681



0617-1



0621-1



0619











0624



0625



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0612-1	-	104 cm	27 cm	46 cm	3 - 12	1	11,3 m <sup>2</sup>	< 60 cm		-
0681	-	67 cm	60 cm	55 cm	3 - 12	2	12,3 m <sup>2</sup>	< 60 cm		-
0617-1	-	45 cm	45 cm	61 cm	3 - 14	1	9,3 m <sup>2</sup>	< 60 cm		-
0621-1		150 cm	100 cm	45 cm	3 - 14	5	16,1 m <sup>2</sup>	< 60 cm		-
0619		100 cm	100 cm	45 cm	3 - 14	3	12,6 m <sup>2</sup>	< 60 cm		-
0624	-	127 cm	32 cm	46 cm	3 - 12	5	12,1 m <sup>2</sup>	< 60 cm	-	-
0625	-	298 cm	167 cm	45 cm	3 - 12	4	21,8 m <sup>2</sup>	< 60 cm	-	-

Characteristics of the SPRING series:



HDPE panels



Stainless steel elements



Durable steel spring





HPL HEXA platforms

Colour & material options\*:



Colour (panels):

-  C11E HDPE - multicolour
-  C12E HDPE - grey/black



Anchoring:

- Surface
- Deep



# swing

## Swinging in full swing!

The SWING series includes classic equipment beloved by younger and older children.

Colourful single swings, see-saw swings, multi-swings with bird's nest seats and weight-balanced multi-swings offer a pleasant thrill for children and encourage them to play with their friends.

Rhythmic swing movement is an effective body balancing exercise that has a positive effect on the development of the muscular and nervous system.



ST0513



ST0522



ST0524



ST0525




WD1425




ST0500



ST0528


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Seats	
									steel	inox	wood	HDPE	HPL
ST0513	●	100 cm	290 cm	170 cm	3 - 12	7	15,5 m <sup>2</sup>	105 cm	●	●	-	● ● ● ● ● ● ● ●	-
ST0522	-	240 cm	39 cm	81 cm	1 - 8	2	9,7 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ● ● ●	-
ST0524	-	310 cm	40 cm	90 cm	3 - 14	2	11,4 m <sup>2</sup>	99 cm	●	●	-	● ● ● ● ● ● ● ●	-
ST0525	-	380 cm	40 cm	90 cm	3 - 14	4	13,1 m <sup>2</sup>	99 cm	●	●	-	● ● ● ● ● ● ● ●	-
WD1425	-	270 cm	40 cm	115 cm	3 - 14	2	11,1 m <sup>2</sup>	99 cm	-	-	●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●
ST0500	-	270 cm	36 cm	80 cm	3 - 12	2	11,3 m <sup>2</sup>	99 cm	●	-	-	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●
ST0528	-	175 cm	120 cm	135 cm	5 - 12	2	18,0 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ● ● ● ● ●	●



ST0529

ST0530-1

ST0531

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0529	●	245 cm	90 cm	95 cm	5 - 12	2	19,3 m <sup>2</sup>	73 cm	●	-	-	● ● ● ● ● ● ● ●
ST0530-1	●	405 cm	115 cm	120 cm	3 - 12	2	27,3 m <sup>2</sup>	< 60 cm	●	-	-	● ●
ST0531	●	290 cm	150 cm	120 cm	14+	1	24,6 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ● ● ● ● ●



Available seats:







ST0510



ST0511



ST0512

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0510	-	40 cm	155 cm	180 cm	1 - 3/3 - 14	1	11,4 m <sup>2</sup>	99 cm	●	●	-	
ST0511	-	40 cm	300 cm	180 cm	1 - 3/3 - 14	2	21,2 m <sup>2</sup>	99 cm	●	●	-	
ST0512	-	40 cm	440 cm	180 cm	1 - 3/3 - 14	3	29,8 m <sup>2</sup>	99 cm	●	●	-	



ST1421



ST1422

**MODULAR SYSTEM**



ST1491









ST0520



ST1424

**Available seats:**



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST1421	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m <sup>2</sup>	130 cm	●	●	-	
ST1422	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m <sup>2</sup>	130 cm	●	●	-	
ST1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m <sup>2</sup>	130 cm	●	●	-	
ST1424	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m <sup>2</sup>	130 cm	●	●	-	
ST0520	-	195 cm	250 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm	●	●	-	





ST1423



ST1492



ST1497



ST1494

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST1423	●	195 cm	320 cm	240 cm	3 - 12	7	18,1 m <sup>2</sup>	130 cm	●	●	-	
ST1492	●	195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	●	●	-	
ST1497	●	195 cm	575 cm	240 cm	3 - 12	14	37,0 m <sup>2</sup>	130 cm	●	●	-	
ST1494	●	195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m <sup>2</sup>	130 cm	●	●	-	

**MODULAR SYSTEM**



WD1422-1



WD0520



WD1491









WD1421-1



WD1424-1

**Available seats:**



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
WD0520	-	195 cm	250 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm	-	-	●	
WD1421-1	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m <sup>2</sup>	130 cm	-	-	●	
WD1422-1	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m <sup>2</sup>	130 cm	-	-	●	
WD1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m <sup>2</sup>	130 cm	-	-	●	
WD1424-1	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m <sup>2</sup>	130 cm	-	-	●	



**MODULAR SYSTEM**



WD1423-1



WD1492



WD1494

**Available seats:**



WD1497



RB1351

RB1421

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
WD1423-1	●	195 cm	320 cm	240 cm	3 - 12	7	18,1 m <sup>2</sup>	130 cm	-	-	●	
WD1492	●	195 cm	499 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	-	-	●	
WD1494	●	195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m <sup>2</sup>	130 cm	-	-	●	
WD1497	●	195 cm	575 cm	240 cm	3 - 12	14	37,0 m <sup>2</sup>	130 cm	-	-	●	









ST0515



ST0516



ST0517

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0515	-	640 cm	610 cm	234 cm	1 - 3/3 - 14	5	46,4 m <sup>2</sup>	130 cm	●	-	-	
ST0516	-	560 cm	640 cm	235 cm	1 - 3/3 - 14	6	54,5 m <sup>2</sup>	130 cm	●	-	-	
ST0517	●	238 cm	337 cm	293 cm	3 - 12	1	18,1 m <sup>2</sup>	145 cm	●	-	-	











ST0509



New!

ST0533

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0509		643 cm	558 cm	281 cm	3 - 12	6	49,0 m <sup>2</sup>	130 cm		-	-	
ST0533	-	345 cm	30 cm	230 cm	3 - 12	1	49,0 m <sup>2</sup>	145 cm		-	-	



ST0519



ST0518

Available seats:



ST0521

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0518	-	55 cm	400 cm	320 cm	6 - 14	1	29,1 m <sup>2</sup>	< 60 cm	●	-	-	
ST0519	-	221 cm	199 cm	242 cm	3 - 14	3	52,8 m <sup>2</sup>	130 cm	●	-	-	
ST0521	-	490 cm	310 cm	270 cm	3 - 14	4	13,5 m <sup>2</sup>	130 cm	●	-	-	

Characteristics of the SWING series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



Stainless steel chains



Certified swing seats



Durable connectors



Protective tops



Ropes with steel core

Colour & material options\*:



Colour (construction parts):

- C1 - RAL6029
- C4 - RAL1023
- C13 - RAL9005
- CASTILLO
- SPACE
- C2 - RAL3020
- C6 - RAL2009
- C8 - NCS-S-1060-G-60Y
- JUNGLE
- C3 - RAL5015
- C12 - RAL7040
- Ci - stainless steel
- STEEL+



Construction:

- Painted steel
- Painted wood
- Stainless steel



Anchoring:

- Surface
- Deep

# hoop

## Spin, spin!

The HOOP series consists of roundabouts and spinners which drive the world of laughing children.

Spinning is an important activity for the child's development as it promotes the maturation of the nervous system, stimulates the sense of balance, strengthens the muscles and the skeletal system. At the same time it is a source of exciting sensations. For an older child, it is often a favourite place of crazy fun with friends.

Colourful carousels encourage both younger and older children to have fun together.

New!



0720



0703-1




0726



0728


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0720	-	155 cm	155 cm	230 cm	3 - 12	21	24,2 m <sup>2</sup>	200 cm	-	●	-	-	● ● ● ● ● ● ● ●
0703-1	-	120 cm	120 cm	73 cm	3 - 12	6	21,2 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ● ● ● ● ●
0726	●	175 cm	175 cm	85 cm	3 - 12	2	26,0 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ● ● ● ● ●
0728	●	220 cm	220 cm	90 cm	3 - 12	6	30,2 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ● ● ● ● ●




0708-1




0702-2



0705-2



0706-1



RB1372

RB1373

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0708-1	-	120 cm	120 cm	13 cm	3 - 12	4	21,2 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ●
0702-2	-	120 cm	120 cm	73 cm	3 - 12	4	21,2 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ●
0705-2	-	150 cm	150 cm	71 cm	3 - 12	5	23,8 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ●
0706-1	-	150 cm	150 cm	68 cm	3 - 12	8	23,8 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ● ● ● ● ●





0710



0700-1




0701-1



0712



0713

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0710	-	55 cm	55 cm	60 cm	3 - 12	1	16,2 m <sup>2</sup>	100 cm	-	●	-	-	-
0700-1	-	50 cm	50 cm	45 cm	3 - 12	3	15,9 m <sup>2</sup>	100 cm	●	-	-	-	-
0701-1	-	50 cm	50 cm	140 cm	3 - 12	1	15,9 m <sup>2</sup>	100 cm	●	-	-	●●●●●	-
0712	-	73 cm	73 cm	146 cm	3 - 12	2	17,6 m <sup>2</sup>	100 cm	-	●	-	●●●	-
0713	-	90 cm	42 cm	147 cm	7 - 16	1	11,4 m <sup>2</sup>	< 60 cm	-	●	-	●●	-



0711



0714

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0711	-	72 cm	72 cm	180 cm	7 - 16	4	35,4 m <sup>2</sup>	100 cm	●	-	-		-
0714	-	265 cm	35 cm	170 cm	5 - 12	2	34,6 m <sup>2</sup>	120 cm	●	-	-	-	●

Characteristics of the HOOP series:



Stainless steel construction or elements



Galvanised steel construction or elements



HPL platforms



HPL panels



HDPE panels



Spinning elements



Movable elements

Colour & material options\*:



Colour (panels & construction parts):

CS HPL - multicolour

C3 HPL RAL5015

C8 HPL NCS-S 1060-G60Y

C6 HPL RAL1017

C12 HPL RAL7038

CASTILLO

JUNGLE

SPACE



Construction:

Painted steel

Stainless steel



Anchoring:

- Surface

- Deep

# arena

## Be like Lewy!

The ARENA is a multifunctional playing field that can be an independent sports facility, perfectly suited for public spaces. In the Arena you can play football, basketball, handball, hockey, tennis and many more.

The highest quality construction and materials are resistant to the loads associated with the use of the field. Thanks to the modularity of the size and functional design, as well as the possibility to choose the material and colour version, the Arena can be adapted to individual needs.



**MODULAR  
SYSTEM**









### 1. Determine the size of the Arena

Using modular side panels, an Arena of any size can be created. The corners, depending on the needs, can have a right angle or be cut (set at an angle).



### 2. Choose the design and material options

The structure of the Arena can be secured with a durable hot-dip galvanized coating, or galvanized and additionally secured with a three-layer paint.

Steel modular panels from which we create the Arena come in three options:

- vertical steel tubular profiles permanently welded to the frame, creating a durable, stable structure;
- walls made of HDPE board, resistant to weather conditions, reinforced with steel profiles;
- vertical rails made of recycled composite, resistant to moisture and low temperatures.



### 3. Set the height

Thanks to the modular panels, the height of the side walls can be freely adjusted to individual needs. Each panel is 1 m high. The durable safety net is available in the height of 2 or 3 m.

There are five combinations to choose from:

- one row of panels;
- two rows of panels;
- three rows of panels;
- two rows of panels + 3 m safety net;
- three rows of panels + 2 m safety net.



### 4. Select the entrance type

The type of entrance to the Arena can be adjusted to suit any needs. Five types are available: a panel with an opening, an openable wicket with or without additional blockade against the entry of bicycles, an offset panel or a lockable technical entrance.



**MODULAR SYSTEM**





### 7. Choice of complementary elements:

Additional elements of Arena equipment are designed so that they can be placed anywhere in the walls of the playing field. Four elements to choose from:

- stand-up bench;
- a small "Brazilian" gate;
- free-standing basketball basket;
- volleyball net.



### 5. Select football goals

Football goals come in four configurations:

- without top panel;
- with top panel;
- with top panel and the basketball basket on the front;
- with top panel and two basketball baskets: front and rear.

### 6. Pick side elements in the goals

The side walls of the goals come in three variants:

- open;
- with a crossbar to prevent the bicycle from entering the field;
- completely closed (full goal).






2431



2432



2451



2441



2452



2495



2498



2421



2422



2423




240606-001



240606-002



241308-001

Product code		Product length	Product width	Product height	Age range	Construction			Panels	
						steel	inox	wood	HDPE	composite
2431	●	190 cm	120 cm	380 cm	3+	●	-	-	-	-
2432	●	190 cm	145 cm	385 cm	3+	●	-	-	-	-
2451	●	130 cm	30 cm	80 cm	3+	●	-	-	-	-
2452	●	320 cm	110 cm	210 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2441	●	1135 cm	10 cm	260 cm	3+	●	-	-	-	-
2495	●	180 cm	30 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2498	-	16 cm	18 cm	96 cm	-	●	-	-	-	-
2421	●	320 cm	235 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2422	●	820 cm	235 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2423	●	1175 cm	290 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
240606-001	●	615 cm	670 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
240606-002	●	615 cm	670 cm	205 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
241308-001	●	1315 cm	860 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●



241308-002



241708-001



241708-002



242011-001



242011-002



242011-003




242311-001



242415-001



242917-001

Product code		Product length	Product width	Product height	Age range	Construction			Panels		
						steel	inox	wood	HDPE		composite
241308-002	●	1460 cm	820 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●	
241708-001	●	1965 cm	820 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●	
241708-002	●	2240 cm	980 cm	505 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●	
242011-001	●	2210 cm	1070 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●	
242011-002	●	2210 cm	1260 cm	505 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●	
242011-003	●	2470 cm	1195 cm	505 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●	
242311-001	●	2465 cm	1070 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●	
242415-001	●	2565 cm	1615 cm	505 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●	
242917-001	●	3325 cm	1805 cm	505 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●	

Characteristics of the ARENA products:



Galvanised steel construction or elements



Stainless steel elements



Composite panels



HDPE panels



Stainless steel chains



Durable connectors



Protective tops



# jumpoo

## Jump to the sky!

Jumping on the trampolines is a great fun, but also a great training! It allows you to strengthen your muscles, improve fitness and coordination, and at the same time reduce stress and tension, allowing you to relax.


Our trampolines are available in various colours and thanks to the special structure of the elements, any combination of shapes.




2222




2211




2212




2213



2214



2221













2220



2223



2224

Product code		Product length	Product width	Product height	Age range	Safety zone	Free-fall height	Colour variants
2222	-	605 cm	380 cm	-	4 - 15	58,3 m <sup>2</sup>	90 cm	
2211	-	150 cm	150 cm	-	4 - 15	12,6 m <sup>2</sup>	90 cm	
2212	-	150 cm	150 cm	-	4 - 15	14,1 m <sup>2</sup>	90 cm	
2213	-	200 cm	200 cm	-	4 - 15	26,8 m <sup>2</sup>	90 cm	
2214	●	300 cm	150 cm	-	4 - 15	27,3 m <sup>2</sup>	90 cm	
2221	-	375 cm	375 cm	-	4 - 15	41,2 m <sup>2</sup>	90 cm	
2220	-	300 cm	300 cm	-	4 - 15	38,9 m <sup>2</sup>	90 cm	
2223	-	745 cm	325 cm	-	4 - 15	60,0 m <sup>2</sup>	90 cm	
2224	-	905 cm	680 cm	-	4 - 15	93,0 m <sup>2</sup>	90 cm	

Characteristics of the JUMPOO series:



Galvanised steel construction



Stainless steel elements



Surface: coloured rubber



Durable anti-slip PA lamellas













1121



New!

1120



1118



1113



1114



1112



1119



1115



1116-1



1117



1198

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robina
1121	●	205 cm	150 cm	125 cm	14+	140 kg	16,0 m <sup>2</sup>	90 cm	● ● ● ● ● ●	●	-
1120	●	130 cm	60 cm	115 cm	14+	140 kg	13,5 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1118	●	110 cm	50 cm	140 cm	14+	140 kg	12,4 m <sup>2</sup>	99 cm	● ● ● ● ● ●	●	-
1113	●	214 cm	123 cm	132 cm	14+	140 kg	16,8 m <sup>2</sup>	112 cm	● ● ● ● ● ●	●	-
1114	●	78 cm	65 cm	142 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1112	●	79 cm	71 cm	132 cm	14+	140 kg	12,1 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1119	●	100 cm	45 cm	120 cm	14+	140 kg	11,9 m <sup>2</sup>	60 cm	● ● ● ● ● ●	●	-
1115	●	167 cm	64 cm	166 cm	14+	140 kg	15,0 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1116-1	●	188 cm	75 cm	167 cm	14+	140 kg	16,4 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1117	●	79 cm	66 cm	132 cm	14+	140 kg	12,0 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1198	-	20 cm	22 cm	95 cm	-	-	-	-	● ● ● ● ● ●	●	-









RB1104












RB1105



RB1106



RB1113

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB1104		75 cm	74 cm	178 cm	14+	140 kg	13,0 m <sup>2</sup>	< 60 cm	-	-	
RB1105		93 cm	90 cm	178 cm	14+	140 kg	13,4 m <sup>2</sup>	< 60 cm	-	-	
RB1106		140 cm	65 cm	141 cm	14+	140 kg	18,2 m <sup>2</sup>	< 60 cm	-	-	
RB1113		218 cm	133 cm	145 cm	14+	140 kg	20,5 m <sup>2</sup>	112 cm	-	-	



RB1116



RB1117



RB1112



RB1108



RB1111



RB1114



RB1109



RB1110



RB1198

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB1116	●	188 cm	79 cm	178 cm	14+	140 kg	16,5 m <sup>2</sup>	< 60 cm	-	-	●
RB1117	●	89 cm	70 cm	155 cm	14+	140 kg	12,5 m <sup>2</sup>	< 60 cm	-	-	●
RB1112	●	85 cm	73 cm	145 cm	14+	140 kg	12,4 m <sup>2</sup>	< 60 cm	-	-	●
RB1108	●	84 cm	70 cm	155 cm	14+	140 kg	12,3 m <sup>2</sup>	< 60 cm	-	-	●
RB1111	●	119 cm	51 cm	143 cm	14+	140 kg	13,6 m <sup>2</sup>	89 cm	-	-	●
RB1114	●	78 cm	73 cm	155 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	-	-	●
RB1109	●	89 cm	47 cm	139 cm	14+	140 kg	11,6 m <sup>2</sup>	< 60 cm	-	-	●
RB1110	●	85 cm	66 cm	174 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	-	-	●
RB1198	-	20 cm	22 cm	95 cm	-	-	-	-	-	-	●

### Characteristics of the FITNESS series:



Galvanised steel construction



Stainless steel construction or elements



Robinia wood construction



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops



Movable elements

### Colour & material options\*:



Colour (construction in steel):

- C8 - NCS-S-1060-G-60Y
- C17 - RAL4008
- Ci - stainless steel
- C12 - RAL7040
- C3 - RAL5015
- C16 - RAL6013
- C18 - NCS-S 2040-B10G



Construction:

- Painted steel
- Robinia wood
- Stainless steel



Anchoring:


- Surface
- Deep

# workout

## As fit as a fiddle!

The WORKOUT series designed for development, keeping fit and returning to good physical condition. Steel and wooden structures with many bars and elements for training with the weight of your own body.

Modern design, durable materials and colour options, perfect for creating a contemporary sports ground.




2324



2301



2302



2303



2304

New!



2305



2306



2318



2319



2320

Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
								steel	inox	robinia
2324	458 cm	379 cm	241 cm	14+	140 kg	39,9 m <sup>2</sup>	228 cm	●	●	-
2301	194 cm	64 cm	72 cm	14+	140 kg	16,1 m <sup>2</sup>	72 cm	●	●	-
2302	194 cm	68 cm	122 cm	14+	140 kg	16,3 m <sup>2</sup>	112 cm	●	●	-
2303	194 cm	124 cm	122 cm	14+	140 kg	19,0 m <sup>2</sup>	112 cm	●	●	-
2304	342 cm	13 cm	138 cm	14+	140 kg	18,1 m <sup>2</sup>	127 cm	●	●	-
2305	151 cm	82 cm	83 cm	14+	140 kg	14,4 m <sup>2</sup>	< 60 cm	●	●	-
2306	158 cm	82 cm	83 cm	14+	140 kg	14,6 m <sup>2</sup>	< 60 cm	●	●	-
2318	60 cm	40 cm	20 cm	14+	140 kg	10,3 m <sup>2</sup>	< 60 cm	-	-	-
2319	70 cm	55 cm	40 cm	14+	140 kg	11,2 m <sup>2</sup>	< 60 cm	-	-	-
2320	80 cm	65 cm	60 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm	-	-	-



2307



2308



2309



2310



2311



2312



2313



2314



2315






2316


New!



2317

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2307	-	168 cm	12 cm	241 cm	14+	140 kg	12,7 m <sup>2</sup>	130 cm			-
2308	-	234 cm	12 cm	241 cm	14+	140 kg	24,5 m <sup>2</sup>	231 cm			-
2309	-	123 cm	12 cm	241 cm	14+	140 kg	19,7 m <sup>2</sup>	229 cm			-
2310	-	123 cm	12 cm	241 cm	14+	140 kg	18,9 m <sup>2</sup>	230 cm			-
2311	-	153 cm	123 cm	347 cm	14+	140 kg	29,2 m <sup>2</sup>	245 cm			-
2312	-	123 cm	86 cm	351 cm	14+	140 kg	25,5 m <sup>2</sup>	249 cm			-
2313	-	123 cm	12 cm	241 cm	14+	140 kg	11,3 m <sup>2</sup>	126 cm			-
2314	-	233 cm	122 cm	241 cm	14+	140 kg	20,6 m <sup>2</sup>	139 cm			-
2315	-	233 cm	59 cm	242 cm	14+	140 kg	17,2 m <sup>2</sup>	139 cm			-
2316	-	440 cm	130 cm	55 cm	14+	140 kg	22,9 m <sup>2</sup>	< 60 cm			-
2317	-	345 cm	15 cm	285 cm	14+	140 kg	20,2 m <sup>2</sup>	170 cm			-





2323

2325





































2326

2327

2328

2399

2329

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2323	-	348 cm	233 cm	241 cm	14+	140 kg	32,6 m <sup>2</sup>	240 cm	   		-
2325	-	489 cm	453 cm	347 cm	14+	140 kg	50,5 m <sup>2</sup>	245 cm	   		-
2326	-	543 cm	344 cm	241 cm	14+	140 kg	54,8 m <sup>2</sup>	228 cm	   		-
2327	-	608 cm	499 cm	251 cm	14+	140 kg	64,6 m <sup>2</sup>	228 cm	   		-
2328	-	789 cm	600 cm	347 cm	14+	140 kg	84,4 m <sup>2</sup>	245 cm	   		-
2329	-	1137 cm	789 cm	351 cm	14+	140 kg	129,1 m <sup>2</sup>	249 cm	   		-
2399	-	104 cm	12 cm	204 cm	-	-	-	-	   		-



RB2301



RB2302



RB2303



RB2304



RB2307



RB2308



RB2305



RB2306



RB2309



RB2310



RB2313



RB2312



RB2311

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB2301	-	198 cm	69 cm	72 cm	14+	140 kg	16,4 m <sup>2</sup>	72 cm	-	-	●
RB2302	-	198 cm	75 cm	130 cm	14+	140 kg	16,7 m <sup>2</sup>	112 cm	-	-	●
RB2303	-	198 cm	131 cm	130 cm	14+	140 kg	19,5 m <sup>2</sup>	112 cm	-	-	●
RB2304	-	354 cm	19 cm	138 cm	14+	140 kg	19,0 m <sup>2</sup>	127 cm	-	-	●
RB2305	-	153 cm	89 cm	90 cm	14+	140 kg	14,7 m <sup>2</sup>	< 60 cm	-	-	●
RB2306	-	160 cm	89 cm	90 cm	14+	140 kg	14,9 m <sup>2</sup>	< 60 cm	-	-	●
RB2307	-	175 cm	18 cm	250 cm	14+	140 kg	14,0 m <sup>2</sup>	130 cm	-	-	●
RB2308	-	242 cm	19 cm	250 cm	14+	140 kg	26,4 m <sup>2</sup>	231 cm	-	-	●
RB2309	-	130 cm	19 cm	250 cm	14+	140 kg	21,4 m <sup>2</sup>	229 cm	-	-	●
RB2310	-	131 cm	20 cm	250 cm	14+	140 kg	21,3 m <sup>2</sup>	230 cm	-	-	●
RB2313	-	129 cm	18 cm	250 cm	14+	140 kg	12,3 m <sup>2</sup>	126 cm	-	-	●
RB2312	-	128 cm	90 cm	351 cm	14+	140 kg	27,0 m <sup>2</sup>	249 cm	-	-	●
RB2311	-	157 cm	128 cm	347 cm	14+	140 kg	30,9 m <sup>2</sup>	245 cm	-	-	●




RB2314



RB2315



RB2323

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB2314	-	241 cm	129 cm	250 cm	14+	140 kg	22,1 m <sup>2</sup>	139 cm	-	-	●
RB2315	-	242 cm	59 cm	250 cm	14+	140 kg	17,9 m <sup>2</sup>	139 cm	-	-	●
RB2323	-	358 cm	241 cm	250 cm	14+	140 kg	34,7 m <sup>2</sup>	230 cm	-	-	●



RB2324



RB2325



RB2326



RB2327



RB2329



RB2328



RB2399

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB2324	-	468 cm	384 cm	250 cm	14+	140 kg	42,2 m <sup>2</sup>	228 cm	-	-	●
RB2325	-	494 cm	464 cm	347 cm	14+	140 kg	52,3 m <sup>2</sup>	245 cm	-	-	●
RB2326	-	554 cm	352 cm	250 cm	14+	140 kg	57,8 m <sup>2</sup>	228 cm	-	-	●
RB2327	-	619 cm	508 cm	255 cm	14+	140 kg	68,2 m <sup>2</sup>	228 cm	-	-	●
RB2328	-	798 cm	607 cm	347 cm	14+	140 kg	92,4 m <sup>2</sup>	245 cm	-	-	●
RB2329	-	1150 cm	798 cm	351 cm	14+	140 kg	144,7 m <sup>2</sup>	249 cm	-	-	●
RB2399	-	109 cm	20 cm	210 cm	-	-	-	-	-	-	●

Characteristics of the WORKOUT series:



Galvanised steel construction



Stainless steel construction or elements



Robinia wood construction



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops

Colour & material options\*:



Colour (construction in steel):



C8 - NCS-S-1060-G-60Y



C17 - RAL4008



Ci - stainless steel



Construction:



C12 - RAL7040



C3 - RAL5015



C16 - RAL6013



C18 - NCS-S 2040-B10G



Painted steel



Robinia wood



Stainless steel







Characteristics of the ACTIVE series:



Galvanised steel construction



Stainless steel construction or elements



Movable elements



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops



Durable steel spring

Colour & material options\*:



Colour (construction in steel):



C8 - NCS-S-1060-G-60Y




C16 - RAL6013



C3 - RAL5015



Ci - stainless steel



C12 - RAL7040



C17 - RAL4008



C18 - NCS-S 2040-B10G



Construction:



Painted steel



Stainless steel


# -park-

## Small park architecture

The PARK series is a necessary complement to a kid-friendly playground.

Comfortable benches and tables, colourful litter bins, information boards and fences – all these elements ensure comfortable relaxation for children, their parents and caregivers.

The modern and aesthetically pleasing design of street furniture harmoniously blends in with the playground equipment.



0913



0923



0924



0925



0926



0911



0912



0916




















0900-2



0902-2

New!

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
0913	-	146 cm	129 cm	54 cm		-	-	-	-
0923	-	159 cm	35 cm	36 cm		-	-		-
0924	-	159 cm	42 cm	78 cm		-	-		-
0925	-	159 cm	35 cm	36 cm	-		-		-
0926	-	159 cm	42 cm	78 cm	-		-		-
0911	-	112 cm	49 cm	43 cm		-	-	-	-
0912	-	111 cm	50 cm	43 cm		-	-	-	-
0916	-	160 cm	40 cm	50 cm	-	-	-		-
0900-2	-	160 cm	38 cm	43 cm	-	-			-
0902-2	-	160 cm	48 cm	80 cm	-	-			-



0915



0914

See also from the ROBINIA series



RB1392



RB1395



0933



0934



0935



0905-1




0904



0936



0938




0940



0909



0910

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
0915	-	160 cm	57 cm	74 cm	-	-	●	●	-
0914	-	171 cm	160 cm	74 cm	-	-	●	●	-
0933	-	36 cm	35 cm	100 cm	-	●	-	●	-
0934	-	36 cm	35 cm	100 cm	●●●●●	-	-	●	-
0935	-	135 cm	35 cm	95 cm	-	-	-	●●	-
0905-1	-	44 cm	31 cm	95 cm	-	-	-	●●	-
0904	-	44 cm	31 cm	95 cm	-	-	-	●●	-
0936	-	87 cm	8 cm	84 cm	-	-	-	●	-
0938	-	70 cm	12 cm	81 cm	-	-	-	●	-
0940	-	210 cm	47 cm	30 cm	-	-	-	●	-
0909	-	43 cm	32 cm	74 cm	●●	-	-	●	-
0910	-	45 cm	32 cm	73 cm	●●	-	-	●	-






WD1485



WD1484



WD1486



0920




0927



0929
























0928



0921-1



0922

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
WD1484	-	120 cm	13 cm	76 cm			-	-	
WD1485	-	170 cm	14 cm	76 cm			-	-	
WD1486	-	280 cm	12 cm	76 cm			-	-	
0920	-	205 cm	5 cm	90 cm	-		-		-
0927	-	105 cm	8 cm	90 cm	-		-		-
0928	-	315 cm	8 cm	90 cm	-		-		-
0929	-	105 cm	6 cm	95 cm	-		-		-
0921-1	-	261 cm	6 cm	116 cm		-	-		-
0922	-	112 cm	21 cm	120 cm	-	-	-		-




WD1483









0906



0907



0908

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
WD1483	-	50 cm	10 cm	170 cm	-	-	-	-	
0906	-	50 cm	4 cm	171 cm	-	-	-		-
0907	-	59 cm	4 cm	169 cm	-	-	-		-
0908	-	170 cm	15 cm	171 cm	-	-	-	 	-

Characteristics of the PARK series:



Galvanized steel construction



Wood construction



Galvanized anchors



HDPE panels



HPL panels

Colour & material options\*:






Colour (panels):

-  C1 HPL - RAL6000
-  C2 HPL - RAL3000
-  C11E HDPE - multicolour
-  C3 HPL - RAL5024
-  C6 HPL - RAL1017
-  C12E HDPE - grey/black
-  C9 HPL - wood pattern
-  C12 HPL - RAL7038




Construction:

-  Painted steel
-  Robinia wood
-  Stainless steel



Anchoring:

-  Surface
-  Deep





pennine  
PLAYGROUNDS

